



CARBIDE DRILLS & REAMERS SELECTION GUIDE								
SERIES GROUP	Series	Dia Range	Stock	Type	# of Flute	Point Angle	Internal Coolant	Coating
GP-Drills	C1GS	2-20	YES	Short	2	140°		TiALN
	C1GJ	2-20	YES	Long	2	140°		Uncoated / TiALN
HP-Drills	C3HS	1-20	YES	Short	2	142°		NOVA
	C3HL	1-20	YES	Long	2	142°		NOVA
	C3MS	0.2~0.9	YES	Micro	2	135°		NOVA
HP-Coolant Fed Drills	CTHS	3-20	YES	Short	2	138°	X	NOVA
	CTHL	3-20	++	Long	2	138°	X	NOVA
	CTHM	4-12	++	MQL	2	140°	X	NOVA
SHP-Drills	C4HT	2-20	+++	Short	2	142°		PEROX/ TISINOVA
Spot Drills	C1N1	6-20	++	-	2	90°		Uncoated
	C1N2	6-20	++	-	2	120°		Uncoated
Center Drills	C1CB	BS1~BS7	++	BS-328	2	120°		Uncoated
	C1CD	1.6-8	++	DIN-333 (A)	2	120°		Uncoated
Reamers	C1RS	3-16	++	Straight Flute	4~6	-		Uncoated / TiALN
	C1RL	3-16	++	LHS/RHC	4~6	-		Uncoated / TiALN
	C1RR	3-16	++	RHS/RHC	4~6	-		Uncoated / TiALN

Carbide Grain	Full Type	ROHIT Grade
MG	Micro Fine Grain	0X
SMG	Sub-Micro Fine Grain	1X
UMG	Ultra Fine Micro Grain	3X
NG	NANO Grain	4X

+	1 Week
++	2 Week
+++	3 Week



{ GST Extra As Applicable }

[Back to Selection](#)

Series	C1GS	Carbide General Purpose Drills (STUB Series)			
		Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)
CR11GDR004U3	2.0	12	39	3.0	₹ 804
CR11GDR004Y4	2.1	14	39	3.0	₹ 804
CR11GDR004Z2	2.2	14	39	3.0	₹ 804
CR11GDR00503	2.3	14	39	3.0	₹ 804
CR11GDR00511	2.4	14	39	3.0	₹ 804
CR11GDR00529	2.5	14	39	3.0	₹ 804
CR11GDR00545	2.6	20	54	3.0	₹ 855
CR11GDR00552	2.7	20	54	3.0	₹ 855
CR11GDR00560	2.8	20	54	3.0	₹ 855
CR11GDR00586	2.9	20	54	3.0	₹ 855
CR11GDR00594	3.0	20	54	3.0	₹ 786
CR11GDR005C2	3.1	20	54	3.1	₹ 846
CR11GDR005E7	3.2	20	54	3.2	₹ 846
CR11GDR005G3	3.3	20	54	3.3	₹ 858
CR11GDR005J6	3.4	20	54	3.4	₹ 858
CR11GDR005M0	3.5	20	54	3.5	₹ 858
CR11GDR005P3	3.6	22	54	3.6	₹ 858
CR11GDR005R9	3.7	22	54	3.7	₹ 858
CR11GDR005T4	3.8	22	54	3.8	₹ 858
CR11GDR005V0	3.9	22	54	3.9	₹ 870
CR11GDR005X5	4.0	22	54	4.0	₹ 870
CR11GDR005Z1	4.1	24	63	4.1	₹ 1,026
CR11GDR00610	4.2	24	63	4.2	₹ 1,026
CR11GDR00636	4.3	24	63	4.3	₹ 1,053
CR11GDR00651	4.4	24	63	4.4	₹ 1,053
CR11GDR00677	4.5	24	63	4.5	₹ 1,053
CR11GDR006A5	4.6	26	63	4.6	₹ 1,053
CR11GDR006C1	4.7	26	63	4.7	₹ 1,053
CR11GDR006E6	4.8	26	63	4.8	₹ 1,053
CR11GDR006G2	4.9	26	63	4.9	₹ 1,053
CR11GDR006J5	5.0	26	63	5.0	₹ 1,053
CR11GDR006L1	5.1	28	63	5.1	₹ 1,173
CR11GDR006N6	5.2	28	63	5.2	₹ 1,296
CR11GDR006R8	5.3	28	63	5.3	₹ 1,296
CR11GDR006U1	5.4	28	63	5.4	₹ 1,296
CR11GDR006W7	5.5	28	63	5.5	₹ 1,296
CR11GDR006Y2	5.6	28	63	5.6	₹ 1,335
CR11GDR00701	5.7	28	63	5.7	₹ 1,335
CR11GDR00727	5.8	28	63	5.8	₹ 1,335
CR11GDR00743	5.9	28	63	5.9	₹ 1,335
CR11GDR00768	6.0	28	63	6.0	₹ 1,335
CR11GDR00784	6.1	31	63	6.1	₹ 1,731
CR11GDR007A4	6.2	31	63	6.2	₹ 1,731
CR11GDR007D7	6.3	31	63	6.3	₹ 1,731
CR11GDR007F3	6.4	31	63	6.4	₹ 1,731
CR11GDR007J4	6.5	31	63	6.5	₹ 1,731
CR11GDR007L0	6.6	34	63	6.6	₹ 1,731



[Back to Selection](#)

Series	C1GS	Carbide General Purpose Drills (STUB Series)			
		Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)
CR11GDR007N5	6.7	34	63	6.7	₹ 1,731
CR11GDR007Q9	6.8	34	63	6.8	₹ 1,731
CR11GDR007T2	6.9	34	63	6.9	₹ 1,731
CR11GDR007W6	7.0	34	63	7.0	₹ 1,731
CR11GDR007Y1	7.1	34	79	7.1	₹ 2,529
CR11GDR00800	7.2	34	79	7.2	₹ 2,529
CR11GDR00826	7.3	34	79	7.3	₹ 2,529
CR11GDR00842	7.4	34	79	7.4	₹ 2,529
CR11GDR00867	7.5	34	79	7.5	₹ 2,529
CR11GDR008A3	7.6	37	79	7.6	₹ 2,679
CR11GDR008C9	7.7	37	79	7.7	₹ 2,679
CR11GDR008E4	7.8	37	79	7.8	₹ 2,679
CR11GDR008G0	7.9	37	79	7.9	₹ 2,679
CR11GDR008J3	8.0	37	79	8.0	₹ 2,679
CR11GDR008L9	8.1	37	79	8.1	₹ 3,003
CR11GDR008N4	8.2	37	79	8.2	₹ 3,003
CR11GDR008R6	8.3	37	79	8.3	₹ 3,129
CR11GDR008T1	8.4	37	79	8.4	₹ 3,129
CR11GDR008W5	8.5	37	79	8.5	₹ 3,129
CR11GDR00909	8.6	40	79	8.6	₹ 3,129
CR11GDR00933	8.7	40	79	8.7	₹ 3,129
CR11GDR00958	8.8	40	79	8.8	₹ 3,129
CR11GDR00982	8.9	40	79	8.9	₹ 3,129
CR11GDR009A2	9.0	40	79	9.0	₹ 3,129
CR11GDR009E3	9.1	40	79	9.1	₹ 3,681
CR11GDR009G9	9.2	40	79	9.2	₹ 3,681
CR11GDR009J2	9.3	40	79	9.3	₹ 3,681
CR11GDR009L8	9.4	40	79	9.4	₹ 3,681
CR11GDR009N3	9.5	40	79	9.5	₹ 3,681
CR11GDR009Q7	9.6	42	79	9.6	₹ 3,681
CR11GDR009S2	9.7	42	79	9.7	₹ 3,681
CR11GDR009V6	9.8	42	79	9.8	₹ 3,681
CR11GDR009X1	9.9	42	79	9.9	₹ 3,681
CR11GDR009Z7	10.0	42	79	10.0	₹ 3,681
CR11GDR00A19	10.1	42	79	10.1	₹ 4,029
CR11GDR00A27	10.2	42	79	10.2	₹ 4,647
CR11GDR00A43	10.3	47	100	10.3	₹ 5,310
CR11GDR00A50	10.4	47	100	10.4	₹ 5,310
CR11GDR00A68	10.5	47	100	10.5	₹ 5,310
CR11GDR00A92	10.6	47	100	10.6	₹ 5,382
CR11GDR00AA4	10.7	47	100	10.7	₹ 5,382
CR11GDR00AB2	10.8	47	100	10.8	₹ 5,382
CR11GDR00AD7	10.9	47	100	10.9	₹ 5,382
CR11GDR00AE5	11.0	47	100	11.0	₹ 5,382
CR11GDR00AG1	11.1	47	100	11.1	₹ 6,006
CR11GDR00AH9	11.2	47	100	11.2	₹ 6,087
CR11GDR00AJ4	11.3	47	100	11.3	₹ 6,087



{ GST Extra As Applicable }

[Back to Selection](#)

Series	C1GS	Carbide General Purpose Drills (STUB Series)			
		Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)
CR11GDR00AK2	11.4	47	100	11.4	₹ 6,087
CR11GDR00AL0	11.5	47	100	11.5	₹ 6,087
CR11GDR00AN5	11.6	49	100	11.6	₹ 6,087
CR11GDR00AP1	11.7	49	100	11.7	₹ 6,087
CR11GDR00AQ9	11.8	49	100	11.8	₹ 6,087
CR11GDR00AR7	11.9	49	100	11.9	₹ 6,087
CR11GDR00AS4	12.0	49	100	12.0	₹ 6,087
CR11GDR00AU0	12.1	51	102	12.1	₹ 6,669
CR11GDR00AV8	12.2	51	102	12.2	₹ 7,170
CR11GDR00AW6	12.3	51	102	12.3	₹ 7,170
CR11GDR00AX3	12.4	51	102	12.4	₹ 7,170
CR11GDR00AZ9	12.5	51	102	12.5	₹ 7,170
CR11GDR00B00	12.6	51	102	12.6	₹ 7,170
CR11GDR00B18	12.7	51	102	12.7	₹ 7,170
CR11GDR00B34	12.8	51	102	12.8	₹ 7,170
CR11GDR00B42	12.9	51	102	12.9	₹ 7,170
CR11GDR00B59	13.0	51	102	13.0	₹ 7,170
CR11GDR00B67	13.1	54	107	13.1	₹ 7,995
CR11GDR00B75	13.2	54	107	13.2	₹ 7,995
CR11GDR00B83	13.3	54	107	13.3	₹ 7,995
CR11GDR00B91	13.4	54	107	13.4	₹ 7,995
CR11GDR00BA3	13.5	54	107	13.5	₹ 7,995
CR11GDR00BB1	13.6	54	107	13.6	₹ 7,995
CR11GDR00BC9	13.7	54	107	13.7	₹ 7,995
CR11GDR00BD6	13.8	54	107	13.8	₹ 7,995
CR11GDR00BE4	13.9	54	107	13.9	₹ 7,995
CR11GDR00BF2	14.0	54	107	14.0	₹ 7,995
CR11GDR00BG0	14.1	56	109	14.1	₹ 9,504
CR11GDR00BH8	14.2	56	109	14.2	₹ 9,504
CR11GDR00BJ3	14.3	56	109	14.3	₹ 9,504
CR11GDR00BK1	14.4	56	109	14.4	₹ 9,504
CR11GDR00BL9	14.5	56	109	14.5	₹ 9,504
CR11GDR00BM7	14.6	56	109	14.6	₹ 9,504
CR11GDR00BN4	14.7	56	109	14.7	₹ 9,504
CR11GDR00BP0	14.8	56	109	14.8	₹ 9,504
CR11GDR00BQ8	14.9	56	109	14.9	₹ 9,504
CR11GDR00BS3	15.0	56	109	15.0	₹ 9,504
CR11GDR00BT1	16.0	56	109	16.0	₹ 10,479
CR11GDR00BU9	17.0	56	109	18.0	₹ 13,947
CR11GDR00BV7	18.0	56	109	18.0	₹ 13,947
CR11GDR00BW5	19.0	56	109	19.0	₹ 16,803
CR11GDR00BX2	20.0	56	109	20.0	₹ 16,803



[Back to Selection](#)

Series	C1GJ	Carbide General Purpose Drills (JOBBER Series)			
		Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)
CR1XGDR000H7	2.0	24	61	3.0	₹ 855
CR1XGDR000J2	2.1	24	61	3.0	₹ 855
CR1XGDR000K0	2.2	24	61	3.0	₹ 855
CR1XGDR000L8	2.3	24	61	3.0	₹ 855
CR1XGDR000M6	2.4	24	61	3.0	₹ 855
CR1XGDR000N3	2.5	24	61	3.0	₹ 855
CR1XGDR000P9	2.6	33	61	3.0	₹ 879
CR1XGDR000Q7	2.7	33	61	3.0	₹ 879
CR1XGDR000R5	2.8	33	61	3.0	₹ 879
CR1XGDR000S2	2.9	33	61	3.0	₹ 879
CR1XGDR000T0	3.0	33	61	3.0	₹ 807
CR1XGDR000U8	3.1	39	70	3.1	₹ 969
CR1XGDR000V6	3.2	39	70	3.2	₹ 975
CR1XGDR000W4	3.3	39	70	3.3	₹ 975
CR1XGDR000X1	3.4	39	70	3.4	₹ 981
CR1XGDR000Y9	3.5	39	70	3.5	₹ 981
CR1XGDR000Z7	3.6	43	75	3.6	₹ 987
CR1XGDR00108	3.7	43	75	3.7	₹ 987
CR1XGDR00116	3.8	43	75	3.8	₹ 1,014
CR1XGDR00124	3.9	43	75	3.9	₹ 1,056
CR1XGDR00140	4.0	43	75	4.0	₹ 1,077
CR1XGDR00157	4.1	47	80	4.1	₹ 1,218
CR1XGDR00165	4.2	47	80	4.2	₹ 1,218
CR1XGDR00173	4.3	47	80	4.3	₹ 1,218
CR1XGDR00181	4.4	47	80	4.4	₹ 1,218
CR1XGDR00199	4.5	47	80	4.5	₹ 1,218
CR1XGDR001B9	4.6	52	86	4.6	₹ 1,335
CR1XGDR001C7	4.7	52	86	4.7	₹ 1,335
CR1XGDR001D4	4.8	52	86	4.8	₹ 1,359
CR1XGDR001E2	4.9	52	86	4.9	₹ 1,359
CR1XGDR001G8	5.0	52	86	5.0	₹ 1,359
CR1XGDR001H6	5.1	52	86	5.1	₹ 1,707
CR1XGDR001J1	5.2	52	86	5.2	₹ 1,707
CR1XGDR001K9	5.3	57	93	5.3	₹ 1,737
CR1XGDR001L7	5.4	57	93	5.4	₹ 1,737
CR1XGDR001M5	5.5	57	93	5.5	₹ 1,737
CR1XGDR001N2	5.6	57	93	5.6	₹ 1,737
CR1XGDR001P8	5.7	57	93	5.7	₹ 1,737
CR1XGDR001Q6	5.8	57	93	5.8	₹ 1,737
CR1XGDR001R4	5.9	57	93	5.9	₹ 1,737
CR1XGDR001S1	6.0	57	93	6.0	₹ 1,737
CR1XGDR001T9	6.1	63	101	6.1	₹ 2,340
CR1XGDR001U7	6.2	63	101	6.2	₹ 2,340
CR1XGDR001V5	6.3	63	101	6.3	₹ 2,340
CR1XGDR001W3	6.4	63	101	6.4	₹ 2,340
CR1XGDR001X0	6.5	63	101	6.5	₹ 2,340
CR1XGDR001Y8	6.6	69	109	6.6	₹ 2,340
CR1XGDR001Z6	6.7	69	109	6.7	₹ 2,340
CR1XGDR00207	6.8	69	109	6.8	₹ 2,340
CR1XGDR00215	6.9	69	109	6.9	₹ 2,340
CR1XGDR00223	7.0	69	109	7.0	₹ 2,340
CR1XGDR00231	7.1	69	109	7.1	₹ 2,772
CR1XGDR00249	7.2	69	109	7.2	₹ 2,772
CR1XGDR00256	7.3	69	109	7.3	₹ 2,772
CR1XGDR00264	7.4	69	109	7.4	₹ 2,772
CR1XGDR00272	7.5	69	109	7.5	₹ 2,772
CR1XGDR00280	7.6	75	117	7.6	₹ 2,889
CR1XGDR00298	7.7	75	117	7.7	₹ 2,889
CR1XGDR002A0	7.8	75	117	7.8	₹ 2,889
CR1XGDR002B8	7.9	75	117	7.9	₹ 2,889
CR1XGDR002C6	8.0	75	117	8.0	₹ 2,937
CR1XGDR002E1	8.1	75	117	8.1	₹ 3,504
CR1XGDR002F9	8.2	75	117	8.2	₹ 3,504
CR1XGDR002G7	8.3	75	117	8.3	₹ 3,504
CR1XGDR002H5	8.4	75	117	8.4	₹ 3,504
CR1XGDR002J0	8.5	75	117	8.5	₹ 3,504
CR1XGDR002K8	8.6	81	125	8.6	₹ 3,717
CR1XGDR002L6	8.7	81	125	8.7	₹ 3,717
CR1XGDR002M4	8.8	81	125	8.8	₹ 3,717
CR1XGDR002N1	8.9	81	125	8.9	₹ 3,717
CR1XGDR002P7	9.0	81	125	9.0	₹ 3,717
CR1XGDR002Q5	9.1	81	125	9.1	₹ 4,527
CR1XGDR002R3	9.2	81	125	9.2	₹ 4,527
CR1XGDR002S0	9.3	81	125	9.3	₹ 4,527
CR1XGDR002T8	9.4	81	125	9.4	₹ 4,527
CR1XGDR002U6	9.5	81	125	9.5	₹ 4,527
CR1XGDR002V4	9.6	87	133	9.6	₹ 5,370
CR1XGDR002W2	9.7	87	133	9.7	₹ 5,370

Series	C1GJ	Carbide General Purpose Drills (JOBBER Series) TIALN COATED			
		Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)
CR11GDR00P06	2.0	24	61	3.0	₹ 1,026
C1GJ0210-F	2.1	24	61	3.0	₹ 1,026
CR11GDR00T44	2.2	24	61	3.0	₹ 1,026
CR11GDR00P14	2.3	24	61	3.0	₹ 1,026
CR11GDR00T51	2.4	24	61	3.0	₹ 1,026
CR11GDR00099	2.5	24	61	3.0	₹ 1,026
C1GJ0260-F	2.6	33	61	3.0	₹ 1,056
CR11GDR00U01	2.7	33	61	3.0	₹ 1,056
CR11GDR00U19	2.8	33	61	3.0	₹ 1,056
CR11GDR00U27	2.9	33	61	3.0	₹ 1,056
CR11GDR005A6	3.0	33	61	3.0	₹ 1,026
CR11GDR005D9	3.1	39	70	3.1	₹ 1,170
CR11GDR005F5	3.2	39	70	3.2	₹ 1,170
CR11GDR005H1	3.3	39	70	3.3	₹ 1,170
CR11GDR005K4	3.4	39	70	3.4	₹ 1,170
CR11GDR005N7	3.5	39	70	3.5	₹ 1,170
CR11GDR005Q1	3.6	43	75	3.6	₹ 1,245
CR11GDR005S6	3.7	43	75	3.7	₹ 1,245
CR11GDR005U2	3.8	43	75	3.8	₹ 1,248
CR11GDR005W8	3.9	43	75	3.9	₹ 1,311
CR11GDR005Y3	4.0	43	75	4.0	₹ 1,311
CR11GDR00602	4.1	47	80	4.1	₹ 1,440
CR11GDR00628	4.2	47	80	4.2	₹ 1,473
CR11GDR00644	4.3	47	80	4.3	₹ 1,479
CR11GDR00669	4.4	47	80	4.4	₹ 1,479
CR11GDR00693	4.5	47	80	4.5	₹ 1,479
CR11GDR006B3	4.6	52	86	4.6	₹ 1,656
CR11GDR006D8	4.7	52	86	4.7	₹ 1,656
CR11GDR006F4	4.8	52	86	4.8	₹ 1,665
CR11GDR006H0	4.9	52	86	4.9	₹ 1,665
CR11GDR006K3	5.0	52	86	5.0	₹ 1,665
CR11GDR006M9	5.1	52	86	5.1	₹ 1,974
CR11GDR006Q0	5.2	52	86	5.2	₹ 1,980
CR11GDR006S5	5.3	52	86	5.3	₹ 2,001
CR11GDR006V9	5.4	57	93	5.4	₹ 2,001
CR11GDR006X4	5.5	57	93	5.5	₹ 2,001
CR11GDR006Z0	5.6	57	93	5.6	₹ 2,001
CR11GDR00719	5.7	57	93	5.7	₹ 2,001
CR11GDR00735	5.8	57	93	5.8	₹ 2,001
CR11GDR00750	5.9	57	93	5.9	₹ 2,001
CR11GDR00776	6.0	57	93	6.0	₹ 2,001
CR11GDR00792	6.1	63	101	6.1	₹ 2,682
CR11GDR007C0	6.2	63	101	6.2	₹ 2,682
CR11GDR007E5	6.3	63	101	6.3	₹ 2,688
CR11GDR007H9	6.4	63	101	6.4	₹ 2,691
CR11GDR007K2	6.5	63	101	6.5	₹ 2,691
CR11GDR007M8	6.6	69	109	6.6	₹ 2,691
CR11GDR007P1	6.7	69	109	6.7	₹ 2,691
CR11GDR007S4	6.8	69	109	6.8	₹ 2,691
CR11GDR007U0	6.9	69	109	6.9	₹ 2,691
CR11GDR007X3	7.0	69	109	7.0	₹ 2,691
CR11GDR007Z9	7.1	69	109	7.1	₹ 3,171
CR11GDR00818	7.2	69	109	7.2	₹ 3,171
CR11GDR00834	7.3	69	109	7.3	₹ 3,192
CR11GDR00859	7.4	69	109	7.4	₹ 3,192
CR11GDR00891	7.5	69	109	7.5	₹ 3,192
CR11GDR008B1	7.6	75	117	7.6	₹ 3,423
CR11GDR008D6	7.7	75	117	7.7	₹ 3,423
CR11GDR008F2	7.8	75	117	7.8	₹ 3,423
CR11GDR008H8	7.9	75	117	7.9	₹ 3,423
CR11GDR008K1	8.0	75	117	8.0	₹ 3,471
CR11GDR008M7	8.1	75	117	8.1	₹ 3,933
CR11GDR008Q8	8.2	75	117	8.2	₹ 3,939
CR11GDR008S3	8.3	75	117	8.3	₹ 3,936
CR11GDR008U9	8.4	75	117	8.4	₹ 3,936
CR11GDR008Z8	8.5	75	117	8.5	₹ 3,936
CR11GDR00917	8.6	81	125	8.6	₹ 4,191
CR11GDR00941	8.7	81	125	8.7	₹ 4,191
CR11GDR00974	8.8	81	125	8.8	₹ 4,191
CR11GDR00990	8.9	81	125	8.9	₹ 4,191
CR11GDR009C8	9.0	81	125	9.0	₹ 4,191
CR11GDR009F1	9.1	81	125	9.1	₹ 5,049
CR11GDR009H7	9.2	81	125	9.2	₹ 5,049
CR11GDR009K0	9.3	81	125	9.3	₹ 5,049
CR11GDR009M6	9.4	81	125	9.4	₹ 5,049
CR11GDR009P9	9.5	81	125	9.5	₹ 5,049
CR11GDR009R5	9.6	87	133	9.6	₹ 6,027
CR11GDR009T0	9.7	87	133	9.7	₹ 6,027



[Back to Selection](#)

Series	C1GJ	Carbide General Purpose Drills (JOBBER Series)			
		Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)
CR1XGDR002X9	9.8	87	133	9.8	₹ 5,370
CR1XGDR002Y7	9.9	87	133	9.9	₹ 5,370
CR1XGDR002Z5	10.0	87	133	10.0	₹ 5,370
CR1XGDR00306	10.1	87	133	10.1	₹ 6,198
CR1XGDR00322	10.2	87	133	10.2	₹ 6,198
CR1XGDR00330	10.3	87	133	10.3	₹ 6,198
CR1XGDR00348	10.4	87	133	10.4	₹ 6,198
CR1XGDR00355	10.5	87	133	10.5	₹ 6,198
CR1XGDR00363	10.6	94	142	10.6	₹ 6,939
CR1XGDR00371	10.7	94	142	10.7	₹ 6,939
CR1XGDR00389	10.8	94	142	10.8	₹ 6,939
CR1XGDR00397	10.9	94	142	10.9	₹ 6,939
CR1XGDR003A9	11.0	94	142	11.0	₹ 6,939
CR1XGDR003B7	11.1	94	142	11.1	₹ 7,863
CR1XGDR003C5	11.2	94	142	11.2	₹ 7,863
CR1XGDR003D2	11.3	94	142	11.3	₹ 7,863
CR1XGDR003E0	11.4	94	142	11.4	₹ 7,863
CR1XGDR003F8	11.5	94	142	11.5	₹ 7,863
CR1XGDR003G6	11.6	101	151	11.6	₹ 7,953
CR1XGDR003H4	11.7	101	151	11.7	₹ 7,953
CR1XGDR003J9	11.8	101	151	11.8	₹ 7,953
CR1XGDR003K7	11.9	101	151	11.9	₹ 7,953
CR1XGDR003L5	12.0	101	151	12.0	₹ 7,953
CR1XGDR003M3	12.1	101	151	12.1	₹ 9,534
CR1XGDR003N0	12.2	101	151	12.2	₹ 9,534
CR1XGDR003P6	12.3	101	151	12.3	₹ 9,534
CR1XGDR003Q4	12.4	101	151	12.4	₹ 9,534
CR1XGDR003R2	12.5	101	151	12.5	₹ 9,534
CR1XGDR003S9	12.6	101	151	12.6	₹ 9,534
CR1XGDR003T7	12.7	101	151	12.7	₹ 9,534
CR1XGDR003U5	12.8	101	151	12.8	₹ 9,534
CR1XGDR003V3	12.9	101	151	12.9	₹ 9,534
CR1XGDR003W1	13.0	101	151	13.0	₹ 9,534
CR1XGDR003X8	13.1	101	151	13.1	₹ 10,707
CR1XGDR003Y6	13.2	101	151	13.2	₹ 10,974
CR1XGDR003Z4	13.3	101	151	13.3	₹ 10,974
CR1XGDR00405	13.4	101	151	13.4	₹ 10,974
CR1XGDR00413	13.5	101	151	13.5	₹ 10,974
CR1XGDR00421	13.6	101	151	13.6	₹ 11,553
CR1XGDR00439	13.7	101	151	13.7	₹ 11,553
CR1XGDR00447	13.8	101	151	13.8	₹ 11,553
CR1XGDR00454	13.9	101	151	13.9	₹ 11,553
CR1XGDR00462	14.0	101	151	14.0	₹ 11,553
CR1XGDR00470	14.1	101	151	14.1	₹ 13,557
CR1XGDR00488	14.2	101	151	14.2	₹ 13,557
CR1XGDR00496	14.3	101	151	14.3	₹ 13,557
CR1XGDR004A8	14.4	101	151	14.4	₹ 13,557
CR1XGDR004C4	14.5	101	151	14.5	₹ 13,557
CR1XGDR004D1	14.6	101	151	14.6	₹ 13,884
CR1XGDR004E9	14.7	101	151	14.7	₹ 13,884
CR1XGDR004F7	14.8	101	151	14.8	₹ 13,884
CR1XGDR004G5	14.9	101	151	14.9	₹ 13,884
CR1XGDR004H3	15.0	101	151	15.0	₹ 13,884
CR1XGDR004J8	16.0	101	151	16.0	₹ 14,346
CR1XGDR004K6	17.0	101	151	17.0	₹ 16,602
CR1XGDR004L4	18.0	101	151	18.0	₹ 16,893
CR1XGDR004M2	19.0	101	151	19.0	₹ 19,812
CR1XGDR004N9	20.0	101	151	20.0	₹ 20,202

Series	C1GJ	Carbide General Purpose Drills (JOBBER Series) TIALN COATED			
		Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)
CR11GDR009W4	9.8	87	133	9.8	₹ 6,027
CR11GDR009Y9	9.9	87	133	9.9	₹ 6,027
CR11GDR00A01	10.0	87	133	10.0	₹ 6,027
C1GJ1010-F	10.1	87	133	10.1	₹ 6,840
CR11GDR00A35	10.2	87	133	10.2	₹ 6,840
C1GJ1030-F	10.3	87	133	10.3	₹ 6,897
CR11GDR00NQ6	10.4	87	133	10.4	₹ 6,897
CR11GDR00A84	10.5	87	133	10.5	₹ 6,897
C1GJ1060-F	10.6	94	142	10.6	₹ 7,584
C1GJ1070-F	10.7	94	142	10.7	₹ 7,593
C1GJ1080-F	10.8	94	142	10.8	₹ 7,593
C1GJ1090-F	10.9	94	142	10.9	₹ 7,593
CR11GDR00AF3	11.0	94	142	11.0	₹ 7,593
C1GJ1110-F	11.1	94	142	11.1	₹ 8,700
CR11GDR00V91	11.2	94	142	11.2	₹ 8,700
C1GJ1130-F	11.3	94	142	11.3	₹ 8,712
C1GJ1140-F	11.4	94	142	11.4	₹ 8,712
CR11GDR00AM8	11.5	94	142	11.5	₹ 8,712
C1GJ1160-F	11.6	101	151	11.6	₹ 8,766
C1GJ1170-F	11.7	101	151	11.7	₹ 8,766
C1GJ1180-F	11.8	101	151	11.8	₹ 8,766
C1GJ1190-F	11.9	101	151	11.9	₹ 8,766
CR11GDR00AT2	12.0	101	151	12.0	₹ 8,766
C1GJ1210-F	12.1	101	151	12.1	₹ 10,329
C1GJ1220-F	12.2	101	151	12.2	₹ 10,329
C1GJ1230-F	12.3	101	151	12.3	₹ 10,329
C1GJ1240-F	12.4	101	151	12.4	₹ 10,329
CR11GDR00WQ7	12.5	101	151	12.5	₹ 10,329
C1GJ1260-F	12.6	101	151	12.6	₹ 10,329
C1GJ1270-F	12.7	101	151	12.7	₹ 10,329
C1GJ1280-F	12.8	101	151	12.8	₹ 10,329
C1GJ1290-F	12.9	101	151	12.9	₹ 10,329
CR11GDR00NU7	13.0	101	151	13.0	₹ 10,329
C1GJ1310-F	13.1	101	151	13.1	₹ 11,565
C1GJ1320-F	13.2	101	151	13.2	₹ 11,856
C1GJ1330-F	13.3	101	151	13.3	₹ 11,856
C1GJ1340-F	13.4	101	151	13.4	₹ 11,856
CR11GDR00TZ0	13.5	101	151	13.5	₹ 11,856
C1GJ1360-F	13.6	101	151	13.6	₹ 12,480
C1GJ1370-F	13.7	101	151	13.7	₹ 12,480
C1GJ1380-F	13.8	101	151	13.8	₹ 12,480
C1GJ1390-F	13.9	101	151	13.9	₹ 12,480
CR11GDR00TT3	14.0	101	151	14.0	₹ 12,480
C1GJ1410-F	14.1	101	151	14.1	₹ 14,643
C1GJ1420-F	14.2	101	151	14.2	₹ 14,643
C1GJ1430-F	14.3	101	151	14.3	₹ 14,643
C1GJ1440-F	14.4	101	151	14.4	₹ 14,643
C1GJ1450-F	14.5	101	151	14.5	₹ 14,643
C1GJ1460-F	14.6	101	151	14.6	₹ 14,994
C1GJ1470-F	14.7	101	151	14.7	₹ 14,994
C1GJ1480-F	14.8	101	151	14.8	₹ 14,994
C1GJ1490-F	14.9	101	151	14.9	₹ 14,994
C1GJ1500-F	15.0	101	151	15.0	₹ 14,994
C1GJ1600-F	16.0	101	151	16.0	₹ 15,495
C1GJ1700-F	17.0	101	151	17.0	₹ 17,934
C1GJ1800-F	18.0	101	151	18.0	₹ 18,243
C1GJ1900-F	19.0	101	151	19.0	₹ 21,399
C1GJ2000-F	20.0	101	151	20.0	₹ 21,819



[Back to Selection](#)

Series	C3HS	Carbide High Performance Drills (SHORT)			
Item Code	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-54
CR3AHDR00W49	1.0	7	38	3.0	₹ 1,836
CR3AHDR00W56	1.1	7	38	3.0	₹ 1,836
CR3AHDR00W64	1.2	8	38	3.0	₹ 1,836
CR3AHDR00W72	1.3	8	38	3.0	₹ 1,836
CR3AHDR00W80	1.4	8	38	3.0	₹ 1,836
CR3AHDR00U66	1.5	8	50	3.0	₹ 1,860
CR3AHDR00U74	1.6	8	50	3.0	₹ 1,860
CR3AHDR00U82	1.7	8	50	3.0	₹ 1,701
CR3AHDR00U90	1.8	10	50	3.0	₹ 1,701
CR3AHDR00UA2	1.9	11	50	3.0	₹ 1,701
CR3AHDR00C23	2.0	14	50	4.0	₹ 1,578
CR3AHDR00C31	2.1	14	50	4.0	₹ 1,578
CR3AHDR00C49	2.2	14	50	4.0	₹ 1,578
CR3AHDR00C56	2.3	14	50	4.0	₹ 1,578
CR3AHDR00C64	2.4	14	50	4.0	₹ 1,578
CR3AHDR00C72	2.5	14	50	4.0	₹ 1,578
CR3AHDR00C80	2.6	14	50	4.0	₹ 1,578
CR3AHDR00C98	2.7	14	50	4.0	₹ 1,578
CR3AHDR00CA0	2.8	14	50	4.0	₹ 1,578
CR3AHDR00CB8	2.9	14	50	4.0	₹ 1,578
CR3AHDR00CC6	3.0	20	62	6.0	₹ 1,971
CR3AHDR00CD3	3.1	20	62	6.0	₹ 1,971
CR3AHDR00CE1	3.2	20	62	6.0	₹ 1,971
CR3AHDR00CF9	3.3	20	62	6.0	₹ 1,971
CR3AHDR00CG7	3.4	20	62	6.0	₹ 1,971
CR3AHDR00CH5	3.5	20	62	6.0	₹ 1,971
CR3AHDR00CJ0	3.6	20	62	6.0	₹ 1,971
CR3AHDR00CK8	3.7	20	62	6.0	₹ 1,971
CR3AHDR00CL6	3.8	24	62	6.0	₹ 1,971
CR3AHDR00CM4	3.9	24	62	6.0	₹ 1,971
CR3AHDR00CN1	4.0	24	62	6.0	₹ 1,971
CR3AHDR00CP7	4.1	24	62	6.0	₹ 1,971
CR3AHDR00CQ5	4.2	24	62	6.0	₹ 1,971
CR3AHDR00CR3	4.3	24	62	6.0	₹ 1,971
CR3AHDR00CS0	4.4	24	62	6.0	₹ 1,971
CR3AHDR00CT8	4.5	24	62	6.0	₹ 1,971
CR3AHDR00CU6	4.6	24	62	6.0	₹ 1,971
CR3AHDR00CV4	4.7	24	62	6.0	₹ 1,971
CR3AHDR00CW2	4.8	28	62	6.0	₹ 1,971
CR3AHDR00CX9	4.9	28	62	6.0	₹ 1,971
CR3AHDR00CY7	5.0	28	62	6.0	₹ 1,971
CR3AHDR00CZ5	5.1	28	62	6.0	₹ 1,971
CR3AHDR00D06	5.2	28	62	6.0	₹ 1,971
CR3AHDR00D14	5.3	28	62	6.0	₹ 1,971
CR3AHDR00D22	5.4	28	62	6.0	₹ 1,971



[Back to Selection](#)

Series	C3HS	Carbide High Performance Drills (SHORT)			
		Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)
Item Code					PL-54
CR3AHDR00D30	5.5	28	62	6.0	₹ 1,971
CR3AHDR00D48	5.6	28	62	6.0	₹ 1,971
CR3AHDR00D55	5.7	28	62	6.0	₹ 1,971
CR3AHDR00D63	5.8	28	62	6.0	₹ 1,971
CR3AHDR00D71	5.9	28	62	6.0	₹ 1,971
CR3AHDR00D89	6.0	28	62	6.0	₹ 1,971
CR3AHDR00D97	6.1	34	75	8.0	₹ 3,315
CR3AHDR00DA9	6.2	34	75	8.0	₹ 3,315
CR3AHDR00DB7	6.3	34	75	8.0	₹ 3,315
CR3AHDR00DC5	6.4	34	75	8.0	₹ 3,315
CR3AHDR00DD2	6.5	34	75	8.0	₹ 3,315
CR3AHDR00DE0	6.6	34	75	8.0	₹ 3,315
CR3AHDR00DF8	6.7	34	75	8.0	₹ 3,315
CR3AHDR00DG6	6.8	34	75	8.0	₹ 3,315
CR3AHDR00DH4	6.9	34	75	8.0	₹ 3,315
CR3AHDR00DJ9	7.0	34	75	8.0	₹ 3,315
CR3AHDR00DK7	7.1	40	80	8.0	₹ 3,588
CR3AHDR00DL5	7.2	40	80	8.0	₹ 3,588
CR3AHDR00DM3	7.3	40	80	8.0	₹ 3,588
CR3AHDR00DN0	7.4	40	80	8.0	₹ 3,588
CR3AHDR00DP6	7.5	40	80	8.0	₹ 3,588
CR3AHDR00DQ4	7.6	40	80	8.0	₹ 3,588
CR3AHDR00DR2	7.7	40	80	8.0	₹ 3,588
CR3AHDR00DS9	7.8	40	80	8.0	₹ 3,588
CR3AHDR00DT7	7.9	40	80	8.0	₹ 3,588
CR3AHDR00DU5	8.0	40	80	8.0	₹ 3,588
CR3AHDR00P53	8.1	40	80	10.0	₹ 4,599
CR3AHDR00DV3	8.1	51	100	10.0	₹ 5,214
CR3AHDR00NV3	8.2	40	80	10.0	₹ 4,599
CR3AHDR00DW1	8.2	51	100	10.0	₹ 5,214
CR3AHDR00NP6	8.3	40	75	10.0	₹ 4,599
CR3AHDR00DX8	8.3	51	100	10.0	₹ 5,214
CR3AHDR00NH4	8.4	40	75	10.0	₹ 4,599
CR3AHDR00DY6	8.4	51	100	10.0	₹ 5,214
CR3AHDR00NJ9	8.5	40	75	10.0	₹ 4,599
CR3AHDR00DZ4	8.5	51	100	10.0	₹ 5,214
CR3AHDR00NK7	8.6	40	75	10.0	₹ 4,599
CR3AHDR00E05	8.6	51	100	10.0	₹ 5,214
CR3AHDR00NR2	8.7	40	75	10.0	₹ 4,599
CR3AHDR00E13	8.7	51	100	10.0	₹ 5,214
CR3AHDR00NZ4	8.8	40	80	10.0	₹ 4,599
CR3AHDR00E21	8.8	51	100	10.0	₹ 5,214
CR3AHDR00TU9	8.9	40	80	10.0	₹ 4,599
CR3AHDR00E39	8.9	51	100	10.0	₹ 5,214
CR3AHDR00NW1	9.0	40	80	10.0	₹ 4,599



[Back to Selection](#)

Series	C3HS	Carbide High Performance Drills (SHORT)			
		Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)
CR3AHDR00E47	9.0	51	100	10.0	₹ 5,214
CR3AHDR00P79	9.1	40	80	10.0	₹ 4,599
CR3AHDR00E54	9.1	51	100	10.0	₹ 5,214
CR3AHDR00TQ8	9.2	40	80	10.0	₹ 4,599
CR3AHDR00E62	9.2	51	100	10.0	₹ 5,214
CR3AHDR00P87	9.3	40	80	10.0	₹ 4,599
CR3AHDR00E70	9.3	51	100	10.0	₹ 5,214
CR3AHDR00TV7	9.4	40	80	10.0	₹ 4,599
CR3AHDR00E88	9.4	51	100	10.0	₹ 5,214
CR3AHDR00P95	9.5	40	80	10.0	₹ 4,599
CR3AHDR00E96	9.5	51	100	10.0	₹ 5,214
CR3AHDR00TW5	9.6	40	80	10.0	₹ 4,599
CR3AHDR00EA8	9.6	51	100	10.0	₹ 5,214
CR3AHDR00TX2	9.7	40	80	10.0	₹ 4,599
CR3AHDR00EB6	9.7	51	100	10.0	₹ 5,214
CR3AHDR00PA7	9.8	40	80	10.0	₹ 4,599
CR3AHDR00EC4	9.8	51	100	10.0	₹ 5,214
CR3AHDR00TY0	9.9	40	80	10.0	₹ 4,599
CR3AHDR00ED1	9.9	51	100	10.0	₹ 5,214
CR3AHDR00NX8	10.0	40	80	10.0	₹ 4,599
CR3AHDR00EE9	10.0	51	100	10.0	₹ 5,214
CR3AHDR00EF7	10.1	55	100	12.0	₹ 6,873
CR3AHDR00EG5	10.2	55	100	12.0	₹ 6,873
CR3AHDR00NN0	10.3	40	75	12.0	₹ 5,847
CR3AHDR00EH3	10.3	55	100	12.0	₹ 6,873
CR3AHDR00NL5	10.4	40	75	12.0	₹ 5,847
CR3AHDR00EJ8	10.4	55	100	12.0	₹ 6,873
CR3AHDR00NM3	10.5	40	75	12.0	₹ 5,847
CR3AHDR00EK6	10.5	55	100	12.0	₹ 6,873
CR3AHDR00NS9	10.6	40	75	12.0	₹ 5,847
CR3AHDR00EL4	10.6	55	100	12.0	₹ 6,873
CR3AHDR00EM2	10.7	55	100	12.0	₹ 6,873
CR3AHDR00EN9	10.8	55	100	12.0	₹ 6,873
CR3AHDR00EP5	10.9	55	100	12.0	₹ 6,873
CR3AHDR00EQ3	11.0	55	100	12.0	₹ 6,873
CR3AHDR00ER1	11.1	55	100	12.0	₹ 6,873
CR3AHDR00ES8	11.2	55	100	12.0	₹ 6,873
CR3AHDR00ET6	11.3	55	100	12.0	₹ 6,873
CR3AHDR00EU4	11.4	55	100	12.0	₹ 6,873
CR3AHDR00EV2	11.5	55	100	12.0	₹ 6,873
CR3AHDR00EW0	11.6	55	100	12.0	₹ 6,873
CR3AHDR00EX7	11.7	55	100	12.0	₹ 6,873
CR3AHDR00EY5	11.8	55	100	12.0	₹ 6,873
CR3AHDR00EZ3	11.9	55	100	12.0	₹ 6,873
CR3AHDR00F04	12.0	55	100	12.0	₹ 6,873



[Back to Selection](#)

Series	C3HS	Carbide High Performance Drills (SHORT)			
Item Code	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-54
CR3AHDR00PB5	12.2	55	105	14.0	₹ 9,132
CR3AHDR00U58	12.3	55	105	14.0	₹ 9,132
CR3AHDR00VV5	12.4	55	105	14.0	₹ 9,132
CR3AHDR00F12	12.5	55	105	14.0	₹ 9,132
CR3AHDR00VW3	12.6	55	105	14.0	₹ 9,132
CR3AHDR00P20	12.7	55	105	14.0	₹ 9,132
CR3AHDR00VG8	12.8	40	80	14.0	₹ 8,091
CR3AHDR00U33	12.8	55	105	14.0	₹ 9,132
CR3AHDR00VX0	12.9	55	105	14.0	₹ 9,132
CR3AHDR00F20	13.0	55	105	14.0	₹ 9,132
CR3AHDR00P38	13.1	55	105	14.0	₹ 9,132
CR3AHDR00P46	13.2	55	105	14.0	₹ 9,132
CR3AHDR00VD4	13.3	55	105	14.0	₹ 9,132
CR3AHDR00VH6	13.4	55	105	14.0	₹ 9,132
CR3AHDR00F38	13.5	55	105	14.0	₹ 9,132
CR3AHDR00W07	13.6	55	105	14.0	₹ 9,132
CR3AHDR00TS3	13.8	55	105	14.0	₹ 9,132
CR3AHDR00F46	14.0	55	105	14.0	₹ 9,132
CR3AHDR00X48	14.1	58	105	16.0	₹ 10,776
CR3AHDR00U41	14.2	58	105	16.0	₹ 10,776
CR3AHDR00F53	14.5	58	105	16.0	₹ 10,776
CR3AHDR00NY6	14.6	40	80	16.0	₹ 9,486
CR3AHDR00F61	15.0	58	105	16.0	₹ 10,776
CR3AHDR00WL6	15.2	58	105	16.0	₹ 10,776
CR3AHDR00F79	15.5	58	105	16.0	₹ 10,776
CR3AHDR00NT7	15.8	58	105	16.0	₹ 10,776
CR3AHDR00F87	16.0	58	105	16.0	₹ 10,776
CR3AHDR00F95	16.5	58	105	18.0	₹ 14,523
CR3AHDR00WM4	16.7	58	105	18.0	₹ 14,523
CR3AHDR00FA7	17.0	58	105	18.0	₹ 14,523
CR3AHDR00FB5	17.5	58	105	18.0	₹ 14,523
CR3AHDR00FC3	18.0	58	105	18.0	₹ 14,523
CR3AHDR00FD0	18.5	58	105	20.0	₹ 17,601
CR3AHDR00FE8	19.0	58	105	20.0	₹ 17,601
CR3AHDR00FF6	19.5	58	105	20.0	₹ 17,601
CR3AHDR00FG4	20.0	58	105	20.0	₹ 17,601



[Back to Selection](#)

Series	C3HL		Carbide High Performance Drills (LONG)		
Item Code	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-54
CR3AHDR00W98	1.0	12	38	3.0	₹ 2,184
CR3AHDR00WA0	1.1	12	38	3.0	₹ 2,184
CR3AHDR00WB8	1.2	12	38	3.0	₹ 2,184
CR3AHDR00WC6	1.3	15	50	3.0	₹ 2,286
CR3AHDR00WD3	1.4	15	50	3.0	₹ 2,286
CR3AHDR00UB0	1.5	15	54	3.0	₹ 2,178
CR3AHDR00UC8	1.6	15	54	3.0	₹ 2,178
CR3AHDR00UD5	1.7	15	54	3.0	₹ 2,073
CR3AHDR00UE3	1.8	18	54	3.0	₹ 2,073
CR3AHDR00UF1	1.9	18	54	3.0	₹ 2,073
CR3AHDR00FH2	2.0	21	57	4.0	₹ 2,013
CR3AHDR00FJ7	2.1	21	57	4.0	₹ 2,013
CR3AHDR00FK5	2.2	21	57	4.0	₹ 2,013
CR3AHDR00FL3	2.3	21	57	4.0	₹ 2,013
CR3AHDR00FM1	2.4	21	57	4.0	₹ 2,013
CR3AHDR00FN8	2.5	21	57	4.0	₹ 2,013
CR3AHDR00FP4	2.6	21	57	4.0	₹ 2,013
CR3AHDR00FQ2	2.7	21	57	4.0	₹ 2,013
CR3AHDR00FR0	2.8	21	57	4.0	₹ 2,013
CR3AHDR00FS7	2.9	21	57	4.0	₹ 2,013
CR3AHDR00FT5	3.0	28	62	6.0	₹ 2,367
CR3AHDR00FU3	3.1	28	62	6.0	₹ 2,367
CR3AHDR00FV1	3.2	28	62	6.0	₹ 2,367
CR3AHDR00FW9	3.3	28	62	6.0	₹ 2,367
CR3AHDR00FX6	3.4	28	62	6.0	₹ 2,367
CR3AHDR00FY4	3.5	28	62	6.0	₹ 2,367
CR3AHDR00FZ2	3.6	28	62	6.0	₹ 2,367
CR3AHDR00G03	3.7	28	62	6.0	₹ 2,367
CR3AHDR00G11	3.8	36	75	6.0	₹ 2,904
CR3AHDR00G29	3.9	36	75	6.0	₹ 2,904
CR3AHDR00G37	4.0	36	75	6.0	₹ 2,904
CR3AHDR00G45	4.1	36	75	6.0	₹ 2,904
CR3AHDR00G52	4.2	36	75	6.0	₹ 2,904
CR3AHDR00G60	4.3	36	75	6.0	₹ 2,904
CR3AHDR00G78	4.4	36	75	6.0	₹ 2,904
CR3AHDR00G86	4.5	36	75	6.0	₹ 2,904
CR3AHDR00G94	4.6	36	75	6.0	₹ 2,904
CR3AHDR00GA6	4.7	36	75	6.0	₹ 2,904
CR3AHDR00GB4	4.8	42	80	6.0	₹ 2,904
CR3AHDR00GC2	4.9	42	80	6.0	₹ 2,904
CR3AHDR00GD9	5.0	42	80	6.0	₹ 2,904
CR3AHDR00GE7	5.1	42	80	6.0	₹ 2,904
CR3AHDR00GF5	5.2	42	80	6.0	₹ 2,904
CR3AHDR00GG3	5.3	42	80	6.0	₹ 2,904
CR3AHDR00GH1	5.4	42	80	6.0	₹ 2,904
CR3AHDR00GJ6	5.5	42	80	6.0	₹ 2,904
CR3AHDR00GK4	5.6	42	80	6.0	₹ 2,904



[Back to Selection](#)

Series	C3HL		Carbide High Performance Drills (LONG)		
Item Code	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-54
CR3AHDR00GL2	5.7	42	80	6.0	₹ 2,904
CR3AHDR00GM0	5.8	42	80	6.0	₹ 2,904
CR3AHDR00GN7	5.9	42	80	6.0	₹ 2,904
CR3AHDR00GP3	6.0	42	80	6.0	₹ 2,904
CR3AHDR00GQ1	6.1	55	100	8.0	₹ 4,062
CR3AHDR00GR9	6.2	55	100	8.0	₹ 4,062
CR3AHDR00GS6	6.3	55	100	8.0	₹ 4,062
CR3AHDR00GT4	6.4	55	100	8.0	₹ 4,062
CR3AHDR00GU2	6.5	55	100	8.0	₹ 4,062
CR3AHDR00GV0	6.6	55	100	8.0	₹ 4,062
CR3AHDR00GW8	6.7	55	100	8.0	₹ 4,062
CR3AHDR00GX5	6.8	55	100	8.0	₹ 4,062
CR3AHDR00GY3	6.9	55	100	8.0	₹ 4,062
CR3AHDR00GZ1	7.0	55	100	8.0	₹ 4,062
CR3AHDR00H02	7.1	60	105	8.0	₹ 4,062
CR3AHDR00H10	7.2	60	105	8.0	₹ 4,062
CR3AHDR00H28	7.3	60	105	8.0	₹ 4,062
CR3AHDR00H36	7.4	60	105	8.0	₹ 4,062
CR3AHDR00H44	7.5	60	105	8.0	₹ 4,062
CR3AHDR00H51	7.6	60	105	8.0	₹ 4,062
CR3AHDR00H69	7.7	60	105	8.0	₹ 4,062
CR3AHDR00H77	7.8	60	105	8.0	₹ 4,062
CR3AHDR00H85	7.9	60	105	8.0	₹ 4,062
CR3AHDR00H93	8.0	60	105	8.0	₹ 4,062
CR3AHDR00HA5	8.1	75	125	10.0	₹ 6,483
CR3AHDR00HB3	8.2	75	125	10.0	₹ 6,483
CR3AHDR00HC1	8.3	75	125	10.0	₹ 6,483
CR3AHDR00HD8	8.4	75	125	10.0	₹ 6,483
CR3AHDR00HE6	8.5	75	125	10.0	₹ 6,483
CR3AHDR00HF4	8.6	75	125	10.0	₹ 6,483
CR3AHDR00HG2	8.7	75	125	10.0	₹ 6,483
CR3AHDR00HH0	8.8	75	125	10.0	₹ 6,483
CR3AHDR00HJ5	8.9	75	125	10.0	₹ 6,483
CR3AHDR00HK3	9.0	75	125	10.0	₹ 6,483
CR3AHDR00HL1	9.1	75	125	10.0	₹ 6,483
CR3AHDR00HM9	9.2	75	125	10.0	₹ 6,483
CR3AHDR00HN6	9.3	75	125	10.0	₹ 6,483
CR3AHDR00HP2	9.4	75	125	10.0	₹ 6,483
CR3AHDR00HQ0	9.5	75	125	10.0	₹ 6,483
CR3AHDR00HR8	9.6	75	125	10.0	₹ 6,483
CR3AHDR00HS5	9.7	75	125	10.0	₹ 6,483
CR3AHDR00HT3	9.8	75	125	10.0	₹ 6,483
CR3AHDR00HU1	9.9	75	125	10.0	₹ 6,483
CR3AHDR00HV9	10.0	75	125	10.0	₹ 6,483
CR3AHDR00HW7	10.1	85	140	12.0	₹ 9,603
CR3AHDR00HX4	10.2	85	140	12.0	₹ 9,603
CR3AHDR00HY2	10.3	85	140	12.0	₹ 9,603



[Back to Selection](#)

Series	C3HL	Carbide High Performance Drills (LONG)			
Item Code	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-54
CR3AHDR00HZ0	10.4	85	140	12.0	₹ 9,603
CR3AHDR00J00	10.5	85	140	12.0	₹ 9,603
CR3AHDR00J18	10.6	85	140	12.0	₹ 9,603
CR3AHDR00J26	10.7	85	140	12.0	₹ 9,603
CR3AHDR00J34	10.8	85	140	12.0	₹ 9,603
CR3AHDR00J42	10.9	85	140	12.0	₹ 9,603
CR3AHDR00J59	11.0	85	140	12.0	₹ 9,603
CR3AHDR00J67	11.1	85	140	12.0	₹ 9,603
CR3AHDR00J75	11.2	85	140	12.0	₹ 9,603
CR3AHDR00J83	11.3	85	140	12.0	₹ 9,603
CR3AHDR00J91	11.4	85	140	12.0	₹ 9,603
CR3AHDR00JA3	11.5	85	140	12.0	₹ 9,603
CR3AHDR00JB1	11.6	85	140	12.0	₹ 9,603
CR3AHDR00JC9	11.7	85	140	12.0	₹ 9,603
CR3AHDR00JD6	11.8	85	140	12.0	₹ 9,603
CR3AHDR00JE4	11.9	85	140	12.0	₹ 9,603
CR3AHDR00JF2	12.0	85	140	12.0	₹ 9,603
CR3AHDR00JG0	12.5	85	140	14.0	₹ 12,597
CR3AHDR00TR6	12.7	85	140	14.0	₹ 12,597
CR3AHDR00JH8	13.0	85	140	14.0	₹ 12,597
CR3AHDR00JJ3	13.5	85	140	14.0	₹ 12,597
CR3AHDR00WR3	13.6	85	140	14.0	₹ 12,597
CR3AHDR00JK1	14.0	85	140	14.0	₹ 12,597
CR3AHDR00JL9	14.5	90	145	16.0	₹ 14,793
CR3AHDR00JM7	15.0	90	145	16.0	₹ 14,793
CR3AHDR00JN4	15.5	90	145	16.0	₹ 14,793
CR3AHDR00WX9	15.7	90	145	16.0	₹ 14,793
CR3AHDR00WY7	15.8	90	145	16.0	₹ 14,793
CR3AHDR00JP0	16.0	90	145	16.0	₹ 14,793
CR3AHDR00JQ8	16.5	95	150	18.0	₹ 19,230
CR3AHDR00JR6	17.0	95	150	18.0	₹ 19,230
CR3AHDR00JS3	17.5	95	150	18.0	₹ 19,230
CR3AHDR00WV4	17.7	95	150	18.0	₹ 19,230
CR3AHDR00JT1	18.0	95	150	18.0	₹ 19,230
CR3AHDR00JU9	18.5	98	150	20.0	₹ 22,680
CR3AHDR00WU6	18.6	98	150	20.0	₹ 22,680
CR3AHDR00WW2	18.7	98	150	20.0	₹ 22,680
CR3AHDR00JV7	19.0	98	150	20.0	₹ 22,680
CR3AHDR00JW5	19.5	98	150	20.0	₹ 22,680
CR3AHDR00WK8	19.7	98	150	20.0	₹ 22,680
CR3AHDR00JX2	20.0	98	150	20.0	₹ 22,680



Series	C3MS		Carbide MICRO DRILLS		
Ordering Code	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-54
C3MS020038-N	0.2	2	38	3.0	₹ 2,382
C3MS030038-N	0.3	3	38	3.0	₹ 2,175
C3MS040038-N	0.4	4	38	3.0	₹ 2,079
C3MS050038-N	0.5	5	38	3.0	₹ 2,079
C3MS060038-N	0.6	6	38	3.0	₹ 2,079
C3MS070038-N	0.7	6	38	3.0	₹ 2,079
C3MS080038-N	0.8	6	38	3.0	₹ 2,079
C3MS090038-N	0.9	6	38	3.0	₹ 2,079

[Back to Selection](#)





[Back to Selection](#)

Series	CTHS		Carbide High Performance Coolant Fed Drills (SHORT)		
Item Code	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-54
CR3PHDR00UJ7	3.0	20	62	6.0	₹ 3,204
CR3PHDR00UK5	3.1	20	62	6.0	₹ 3,204
CR3PHDR00UL3	3.2	20	62	6.0	₹ 3,204
CR3PHDR00UM1	3.3	20	62	6.0	₹ 3,204
CR3PHDR00UN8	3.4	20	62	6.0	₹ 3,204
CR3PHDR00UP4	3.5	20	62	6.0	₹ 3,204
CR3PHDR00UQ2	3.6	20	62	6.0	₹ 3,204
CR3PHDR00UR0	3.7	20	62	6.0	₹ 3,204
CR3PHDR00US7	3.8	24	62	6.0	₹ 3,204
CR3PHDR00UT5	3.9	24	62	6.0	₹ 3,204
CR3PHDR00UU3	4.0	24	62	6.0	₹ 3,114
CR3PHDR00PQ7	4.1	24	62	6.0	₹ 3,114
CR3PHDR00PR5	4.2	24	62	6.0	₹ 3,114
CR3PHDR00PS2	4.3	24	62	6.0	₹ 3,114
CR3PHDR00PT0	4.4	24	62	6.0	₹ 3,114
CR3PHDR00PU8	4.5	24	62	6.0	₹ 3,114
CR3PHDR00PV6	4.6	24	62	6.0	₹ 3,114
CR3PHDR00PW4	4.7	24	62	6.0	₹ 3,114
CR3PHDR00PX1	4.8	28	62	6.0	₹ 3,114
CR3PHDR00PY9	4.9	28	62	6.0	₹ 3,114
CR3PHDR00PZ7	5.0	28	62	6.0	₹ 3,114
CR3PHDR00Q08	5.1	28	62	6.0	₹ 3,114
CR3PHDR00Q16	5.2	28	62	6.0	₹ 3,114
CR3PHDR00Q24	5.3	28	62	6.0	₹ 3,114
CR3PHDR00Q32	5.4	28	62	6.0	₹ 3,114
CR3PHDR00Q40	5.5	28	62	6.0	₹ 3,114
CR3PHDR00Q57	5.6	28	62	6.0	₹ 3,114
CR3PHDR00Q65	5.7	28	62	6.0	₹ 3,114
CR3PHDR00Q73	5.8	28	62	6.0	₹ 3,114
CR3PHDR00Q81	5.9	28	62	6.0	₹ 3,114
CR3PHDR00Q99	6.0	28	62	6.0	₹ 3,114
CR3PHDR00QA1	6.1	34	75	8.0	₹ 4,515
CR3PHDR00QB9	6.2	34	75	8.0	₹ 4,515
CR3PHDR00QC7	6.3	34	75	8.0	₹ 4,515
CR3PHDR00QD4	6.4	34	75	8.0	₹ 4,515
CR3PHDR00QE2	6.5	34	75	8.0	₹ 4,515
CR3PHDR00QF0	6.6	34	75	8.0	₹ 4,515
CR3PHDR00QG8	6.7	34	75	8.0	₹ 4,515
CR3PHDR00QH6	6.8	34	75	8.0	₹ 4,515
CR3PHDR00QJ1	6.9	34	75	8.0	₹ 4,515
CR3PHDR00QK9	7.0	34	75	8.0	₹ 4,515
CR3PHDR00QL7	7.1	40	80	8.0	₹ 4,515
CR3PHDR00QM5	7.2	40	80	8.0	₹ 4,515
CR3PHDR00QN2	7.3	40	80	8.0	₹ 4,515
CR3PHDR00QP8	7.4	40	80	8.0	₹ 4,515
CR3PHDR00QQ6	7.5	40	80	8.0	₹ 4,515



[Back to Selection](#)

Series	CTHS		Carbide High Performance Coolant Fed Drills (SHORT)		
Item Code	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-54
CR3PHDR00QR4	7.6	40	80	8.0	₹ 4,515
CR3PHDR00QS1	7.7	40	80	8.0	₹ 4,515
CR3PHDR00QT9	7.8	40	80	8.0	₹ 4,515
CR3PHDR00QU7	7.9	40	80	8.0	₹ 4,515
CR3PHDR00QV5	8.0	40	80	8.0	₹ 4,515
CR3PHDR00QW3	8.1	40	80	10.0	₹ 5,601
CR3PHDR00RG7	8.1	51	100	10.0	₹ 6,726
CR3PHDR00QX0	8.2	40	80	10.0	₹ 5,601
CR3PHDR00RH5	8.2	51	100	10.0	₹ 6,726
CR3PHDR00QY8	8.3	40	80	10.0	₹ 5,601
CR3PHDR00RJ0	8.3	51	100	10.0	₹ 6,726
CR3PHDR00QZ6	8.4	40	80	10.0	₹ 5,601
CR3PHDR00RK8	8.4	51	100	10.0	₹ 6,726
CR3PHDR00R07	8.5	40	80	10.0	₹ 5,601
CR3PHDR00RL6	8.5	51	100	10.0	₹ 6,726
CR3PHDR00R15	8.6	40	80	10.0	₹ 5,601
CR3PHDR00RM4	8.6	51	100	10.0	₹ 6,726
CR3PHDR00R23	8.7	40	80	10.0	₹ 5,601
CR3PHDR00RN1	8.7	51	100	10.0	₹ 6,726
CR3PHDR00R31	8.8	40	80	10.0	₹ 5,601
CR3PHDR00RP7	8.8	51	100	10.0	₹ 6,726
CR3PHDR00R49	8.9	40	80	10.0	₹ 5,601
CR3PHDR00RQ5	8.9	51	100	10.0	₹ 6,726
CR3PHDR00R56	9.0	40	80	10.0	₹ 5,601
CR3PHDR00RR3	9.0	51	100	10.0	₹ 6,726
CR3PHDR00R64	9.1	40	80	10.0	₹ 5,601
CR3PHDR00RS0	9.1	51	100	10.0	₹ 6,726
CR3PHDR00R72	9.2	40	80	10.0	₹ 5,601
CR3PHDR00RT8	9.2	51	100	10.0	₹ 6,726
CR3PHDR00R80	9.3	40	80	10.0	₹ 5,601
CR3PHDR00RU6	9.3	51	100	10.0	₹ 6,726
CR3PHDR00R98	9.4	40	80	10.0	₹ 5,601
CR3PHDR00RV4	9.4	51	100	10.0	₹ 6,726
CR3PHDR00RA0	9.5	40	80	10.0	₹ 5,601
CR3PHDR00RW2	9.5	51	100	10.0	₹ 6,726
CR3PHDR00RB8	9.6	40	80	10.0	₹ 5,601
CR3PHDR00RX9	9.6	51	100	10.0	₹ 6,726
CR3PHDR00RC6	9.7	40	80	10.0	₹ 5,601
CR3PHDR00RY7	9.7	51	100	10.0	₹ 6,726
CR3PHDR00RD3	9.8	40	80	10.0	₹ 5,601
CR3PHDR00RZ5	9.8	51	100	10.0	₹ 6,726
CR3PHDR00RE1	9.9	40	80	10.0	₹ 5,601
CR3PHDR00S06	9.9	51	100	10.0	₹ 6,726
CR3PHDR00RF9	10.0	40	80	10.0	₹ 5,601
CR3PHDR00S14	10.0	51	100	10.0	₹ 6,726
CR3PHDR00S22	10.1	55	100	12.0	₹ 8,625



{ GST Extra As Applicable }

[Back to Selection](#)

Series	CTHS		Carbide High Performance Coolant Fed Drills (SHORT)		
Item Code	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-54
CR3PHDR00S30	10.2	55	100	12.0	₹ 8,625
CR3PHDR00S48	10.3	55	100	12.0	₹ 8,625
CR3PHDR00S55	10.4	55	100	12.0	₹ 8,625
CR3PHDR00S63	10.5	55	100	12.0	₹ 8,625
CR3PHDR00S71	10.6	55	100	12.0	₹ 8,625
CR3PHDR00S89	10.7	55	100	12.0	₹ 8,625
CR3PHDR00S97	10.8	55	100	12.0	₹ 8,625
CR3PHDR00SA9	10.9	55	100	12.0	₹ 8,625
CR3PHDR00SB7	11.0	55	100	12.0	₹ 8,625
CR3PHDR00SC5	11.1	55	100	12.0	₹ 8,625
CR3PHDR00SD2	11.2	55	100	12.0	₹ 8,625
CR3PHDR00SE0	11.3	55	100	12.0	₹ 8,625
CR3PHDR00SF8	11.4	55	100	12.0	₹ 8,625
CR3PHDR00SG6	11.5	55	100	12.0	₹ 8,625
CR3PHDR00SH4	11.6	55	100	12.0	₹ 8,625
CR3PHDR00SJ9	11.7	55	100	12.0	₹ 8,625
CR3PHDR00SK7	11.8	55	100	12.0	₹ 8,625
CR3PHDR00SL5	11.9	55	100	12.0	₹ 8,625
CR3PHDR00SM3	12.0	55	100	12.0	₹ 8,625
CR3PHDR00SN0	12.5	55	105	14.0	₹ 11,655
CR3PHDR00WS5	12.8	55	105	14.0	₹ 11,655
CR3PHDR00SP6	13.0	55	105	14.0	₹ 11,655
CR3PHDR00SQ4	13.5	55	105	14.0	₹ 11,655
CR3PHDR00WH0	13.6	55	105	14.0	₹ 11,655
CR3PHDR00SR2	14.0	55	105	14.0	₹ 11,655
CR3PHDR00VR9	14.2	58	105	16.0	₹ 13,812
CR3PHDR00SS9	14.5	58	105	16.0	₹ 13,812
CR3PHDR00ST7	15.0	58	105	16.0	₹ 13,812
CR3PHDR00SU5	15.5	58	105	16.0	₹ 13,812
CR3PHDR00SV3	16.0	58	105	16.0	₹ 13,812
CR3PHDR00SW1	16.5	58	105	18.0	₹ 19,284
CR3PHDR00VQ1	16.7	58	105	18.0	₹ 19,284
CR3PHDR00SX8	17.0	58	105	18.0	₹ 19,284
CR3PHDR00SY6	17.5	58	105	18.0	₹ 19,284
CR3PHDR00VP3	17.9	58	105	18.0	₹ 19,284
CR3PHDR00SZ4	18.0	58	105	18.0	₹ 19,284
CR3PHDR00T05	18.5	58	105	20.0	₹ 22,548
CR3PHDR00T13	19.0	58	105	20.0	₹ 22,548
CR3PHDR00T21	19.5	58	105	20.0	₹ 22,548
CR3PHDR00T39	20.0	58	105	20.0	₹ 22,548



[Back to Selection](#)

Series	CTHL	Carbide High Performance Coolant Fed Drills (LONG)			
		Item Code	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)
CR3AHDR00UV6	3.0	36	75	6.0	₹ 3,795
CR3AHDR00UW4	3.1	36	75	6.0	₹ 3,795
CR3AHDR00UX1	3.2	36	75	6.0	₹ 3,795
CR3AHDR00UY9	3.3	36	75	6.0	₹ 3,795
CR3AHDR00UZ7	3.4	36	75	6.0	₹ 3,795
CR3AHDR00V08	3.5	36	75	6.0	₹ 3,795
CR3AHDR00V16	3.6	36	75	6.0	₹ 3,795
CR3AHDR00V24	3.7	36	75	6.0	₹ 3,795
CR3AHDR00V40	3.8	36	75	6.0	₹ 3,795
CR3AHDR00V32	3.9	36	75	6.0	₹ 3,795
CR3AHDR00V57	4.0	36	75	6.0	₹ 3,654
CR3AHDR00X55	4.1	36	75	6.0	₹ 3,654
CR3AHDR00WE1	4.2	36	75	6.0	₹ 3,654
CR3AHDR00VB9	4.3	36	75	6.0	₹ 3,654
CR3AHDR00X63	4.4	36	75	6.0	₹ 3,654
CR3AHDR00X71	4.5	36	75	6.0	₹ 3,654
CR3AHDR00WG7	4.6	36	75	6.0	₹ 3,654
CR3AHDR00X89	4.7	36	75	6.0	₹ 3,654
CR3AHDR00VA1	4.8	42	80	6.0	₹ 3,654
CR3AHDR00X97	4.9	42	80	6.0	₹ 3,654
CR3AHDR00VL7	5.0	42	80	6.0	₹ 3,654
CR3AHDR00VT9	5.1	42	80	6.0	₹ 3,654
CR3AHDR00XA9	5.2	42	80	6.0	₹ 3,654
CR3AHDR00VC7	5.3	42	80	6.0	₹ 3,654
CR3AHDR00WF9	5.4	42	80	6.0	₹ 3,654
CR3AHDR00WZ5	5.5	42	80	6.0	₹ 3,654
CR3AHDR00XB7	5.6	42	80	6.0	₹ 3,654
CR3AHDR00XC5	5.7	42	80	6.0	₹ 3,654
CR3AHDR00WJ0	5.8	42	80	6.0	₹ 3,654
CR3AHDR00XD2	5.9	42	80	6.0	₹ 3,654
CR3AHDR00VS1	6.0	42	80	6.0	₹ 3,654
CR3AHDR00XE0	6.1	55	100	8.0	₹ 5,301
CR3AHDR00XF8	6.2	55	100	8.0	₹ 5,301
CR3AHDR00XG6	6.3	55	100	8.0	₹ 5,301
CR3AHDR00XH4	6.4	55	100	8.0	₹ 5,301
CR3AHDR00X06	6.5	55	100	8.0	₹ 5,301
CR3AHDR00XJ9	6.6	55	100	8.0	₹ 5,301
CR3AHDR00XK7	6.7	55	100	8.0	₹ 5,301
CR3AHDR00V73	6.8	55	100	8.0	₹ 5,301
CR3AHDR00XL5	6.9	55	100	8.0	₹ 5,301
CR3AHDR00V81	7.0	55	100	8.0	₹ 5,301
CR3AHDR00XM3	7.1	60	105	8.0	₹ 5,526
CR3AHDR00XN0	7.2	60	105	8.0	₹ 5,526
CR3AHDR00UH7	7.3	60	105	8.0	₹ 5,526
CR3AHDR00XP6	7.4	60	105	8.0	₹ 5,526




[Back to Selection](#)

Series	CTHL		Carbide High Performance Coolant Fed Drills (LONG)		
	Item Code	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)
CR3AHDR00X14	7.5	60	105	8.0	₹ 5,526
CR3AHDR00XQ4	7.6	60	105	8.0	₹ 5,526
CR3AHDR00XR2	7.7	60	105	8.0	₹ 5,526
CR3AHDR00XS9	7.8	60	105	8.0	₹ 5,526
CR3AHDR00XT7	7.9	60	105	8.0	₹ 5,526
CR3AHDR00W31	8.0	60	105	8.0	₹ 5,526
CR3AHDR00XU5	8.1	75	125	10.0	₹ 8,040
CR3AHDR00XV3	8.2	75	125	10.0	₹ 8,040
CR3AHDR00VE2	8.3	75	125	10.0	₹ 8,040
CR3AHDR00XW1	8.4	75	125	10.0	₹ 8,040
CR3AHDR00VJ1	8.5	75	125	10.0	₹ 8,040
CR3AHDR00XX8	8.6	75	125	10.0	₹ 8,040
CR3AHDR00W15	8.7	75	125	10.0	₹ 8,040
CR3AHDR00X30	8.8	75	125	10.0	₹ 8,040
CR3AHDR00XY6	8.9	75	125	10.0	₹ 8,040
CR3AHDR00UG9	9.0	75	125	10.0	₹ 8,040
CR3AHDR00XZ4	9.1	75	125	10.0	₹ 8,040
CR3AHDR00Y05	9.2	75	125	10.0	₹ 8,040
CR3AHDR00VF0	9.3	75	125	10.0	₹ 8,040
CR3AHDR00Y13	9.4	75	125	10.0	₹ 8,040
CR3AHDR00Y21	9.5	75	125	10.0	₹ 8,040
CR3AHDR00Y39	9.6	75	125	10.0	₹ 8,040
CR3AHDR00Y47	9.7	75	125	10.0	₹ 8,040
CR3AHDR00Y54	9.8	75	125	10.0	₹ 8,040
CR3AHDR00Y62	9.9	75	125	10.0	₹ 8,040
CR3AHDR00X22	10.0	75	125	10.0	₹ 8,040
CR3AHDR00Y70	10.1	85	140	12.0	₹ 12,366
CR3AHDR00Y88	10.2	85	140	12.0	₹ 12,366
CR3AHDR00VK9	10.3	85	140	12.0	₹ 12,366
CR3AHDR00Y96	10.4	85	140	12.0	₹ 12,366
CR3AHDR00W23	10.5	85	140	12.0	₹ 12,366
CR3AHDR00YA8	10.6	85	140	12.0	₹ 12,366
CR3AHDR00YB6	10.7	85	140	12.0	₹ 12,366
CR3AHDR00YC4	10.8	85	140	12.0	₹ 12,366
CR3AHDR00YD1	10.9	85	140	12.0	₹ 12,366
CR3AHDR00VU7	11.0	85	140	12.0	₹ 12,366
CR3AHDR00YE9	11.1	85	140	12.0	₹ 12,366
CR3AHDR00WN1	11.2	85	140	12.0	₹ 12,366
CR3AHDR00YF7	11.3	85	140	12.0	₹ 12,366
CR3AHDR00YG5	11.4	85	140	12.0	₹ 12,366
CR3AHDR00YH3	11.5	85	140	12.0	₹ 12,366
CR3AHDR00YJ8	11.6	85	140	12.0	₹ 12,366
CR3AHDR00YK6	11.7	85	140	12.0	₹ 12,366
CR3AHDR00YL4	11.8	85	140	12.0	₹ 12,366
CR3AHDR00YM2	11.9	85	140	12.0	₹ 12,366



[Back to Selection](#)

Series	CTHL		Carbide High Performance Coolant Fed Drills (LONG)		
	Item Code	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)
CR3AHDR00VY8	12.0	85	140	12.0	₹ 12,366
CR3AHDR00YN9	12.5	85	140	14.0	₹ 16,467
CR3AHDR00VZ6	13.0	85	140	14.0	₹ 16,467
CR3AHDR00YP5	13.5	85	140	14.0	₹ 16,467
CR3AHDR00WT8	13.6	85	140	14.0	₹ 16,467
CR3AHDR00VN2	14.0	85	140	14.0	₹ 16,467
CR3AHDR00WP7	14.5	90	145	16.0	₹ 19,488
CR3AHDR00YQ3	15.0	90	145	16.0	₹ 19,488
CR3AHDR00YR1	15.5	90	145	16.0	₹ 19,488
CR3AHDR00V65	16.0	90	145	16.0	₹ 19,488
CR3AHDR00VM5	16.5	95	150	18.0	₹ 24,882
CR3AHDR00YS8	17.0	95	150	18.0	₹ 24,882
CR3AHDR00YT6	17.5	95	150	18.0	₹ 24,882
CR3AHDR00YU4	18.0	95	150	18.0	₹ 24,882
CR3AHDR00YV2	18.5	100	150	20.0	₹ 29,619
CR3AHDR00YW0	19.0	100	150	20.0	₹ 29,619
CR3AHDR00YX7	19.5	100	150	20.0	₹ 29,619
CR3AHDR00YY5	20.0	100	150	20.0	₹ 29,619





[Back to Selection](#)

Series	CTHM	Carbide Coolant Hole - MQL Drills					
		Ordering Code	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-54
		CTHM0420-N	4.2	57	105	6.0	₹ 5,199
		CTHM0450-N	4.5	57	105	6.0	₹ 5,199
		CTHM0500-N	5.0	65	108	6.0	₹ 5,199
		CTHM0550-N	5.5	72	127	6.0	₹ 6,339
		CTHM0600-N	6.0	78	133	6.0	₹ 6,339
		CTHM0650-N	6.5	85	141	8.0	₹ 7,998
		CTHM0700-N	7.0	91	147	8.0	₹ 7,998
		CTHM0750-N	7.5	98	155	8.0	₹ 8,199
		CTHM0800-N	8.0	104	160	8.0	₹ 8,199
		CTHM0850-N	8.5	111	160	10.0	₹ 10,383
		CTHM0900-N	9.0	117	175	10.0	₹ 11,952
		CTHM0950-N	9.5	124	182	10.0	₹ 11,952
		CTHM1000-N	10.0	130	188	10.0	₹ 12,213
		CTHM1050-N	10.5	137	201	12.0	₹ 16,980
		CTHM1100-N	11.0	143	207	12.0	₹ 16,980
		CTHM1150-N	11.5	150	215	12.0	₹ 17,382
		CTHM1200-N	12.0	156	221	12.0	₹ 17,766



[Back to Selection](#)

Series	C4HT	Carbide Super High Performance TIGER DRILLS			
Ordering Code	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-54
C4HT020050-P	2.0	14	50	4.0	₹ 2,121
C4HT021050-P	2.1	14	50	4.0	₹ 2,121
C4HT022050-P	2.2	14	50	4.0	₹ 2,121
C4HT023050-P	2.3	14	50	4.0	₹ 2,121
C4HT024050-P	2.4	14	50	4.0	₹ 2,121
C4HT025050-P	2.5	14	50	4.0	₹ 2,121
C4HT026050-P	2.6	14	50	4.0	₹ 2,121
C4HT027050-P	2.7	14	50	4.0	₹ 2,121
C4HT028050-P	2.8	14	50	4.0	₹ 2,121
C4HT029050-P	2.9	14	50	4.0	₹ 2,121
C4HT030062-P	3.0	20	62	6.0	₹ 2,904
C4HT031062-P	3.1	20	62	6.0	₹ 2,904
C4HT032062-P	3.2	20	62	6.0	₹ 2,904
C4HT033062-P	3.3	20	62	6.0	₹ 2,904
C4HT034062-P	3.4	20	62	6.0	₹ 2,904
C4HT035062-P	3.5	20	62	6.0	₹ 2,904
C4HT036062-P	3.6	20	62	6.0	₹ 2,904
C4HT037062-P	3.7	20	62	6.0	₹ 2,904
C4HT038062-P	3.8	24	62	6.0	₹ 2,904
C4HT039062-P	3.9	24	62	6.0	₹ 2,904
C4HT040062-P	4.0	24	62	6.0	₹ 2,904
C4HT041062-P	4.1	24	62	6.0	₹ 2,904
C4HT042062-P	4.2	24	62	6.0	₹ 2,904
C4HT043062-P	4.3	24	62	6.0	₹ 2,904
C4HT044062-P	4.4	24	62	6.0	₹ 2,904
C4HT045062-P	4.5	24	62	6.0	₹ 2,904
C4HT046062-P	4.6	24	62	6.0	₹ 2,904
C4HT047062-P	4.7	24	62	6.0	₹ 2,904
C4HT048062-P	4.8	28	62	6.0	₹ 2,904
C4HT049062-P	4.9	28	62	6.0	₹ 2,904
C4HT050062-P	5.0	28	62	6.0	₹ 2,904
C4HT051062-P	5.1	28	62	6.0	₹ 2,904
C4HT052062-P	5.2	28	62	6.0	₹ 2,904
C4HT053062-P	5.3	28	62	6.0	₹ 2,904
C4HT054062-P	5.4	28	62	6.0	₹ 2,904
C4HT055062-P	5.5	28	62	6.0	₹ 2,904
C4HT056062-P	5.6	28	62	6.0	₹ 2,904
C4HT057062-P	5.7	28	62	6.0	₹ 2,904
C4HT058062-P	5.8	28	62	6.0	₹ 2,904
C4HT059062-P	5.9	28	62	6.0	₹ 2,904
C4HT060062-P	6.0	28	62	6.0	₹ 2,904
C4HT061075-P	6.1	34	75	8.0	₹ 4,812
C4HT062075-P	6.2	34	75	8.0	₹ 4,812
C4HT063075-P	6.3	34	75	8.0	₹ 4,812
C4HT064075-P	6.4	34	75	8.0	₹ 4,812
C4HT065075-P	6.5	34	75	8.0	₹ 4,812
C4HT066075-P	6.6	34	75	8.0	₹ 4,812



[Back to Selection](#)

Series	C4HT		Carbide Super High Performance TIGER DRILLS		
Ordering Code	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-54
C4HT067075-P	6.7	34	75	8.0	₹ 4,812
C4HT068075-P	6.8	34	75	8.0	₹ 4,812
C4HT069075-P	6.9	34	75	8.0	₹ 4,812
C4HT070075-P	7.0	34	75	8.0	₹ 4,812
C4HT071080-P	7.1	40	80	8.0	₹ 5,217
C4HT072080-P	7.2	40	80	8.0	₹ 5,217
C4HT073080-P	7.3	40	80	8.0	₹ 5,217
C4HT074080-P	7.4	40	80	8.0	₹ 5,217
C4HT075080-P	7.5	40	80	8.0	₹ 5,217
C4HT076080-P	7.6	40	80	8.0	₹ 5,217
C4HT077080-P	7.7	40	80	8.0	₹ 5,217
C4HT078080-P	7.8	40	80	8.0	₹ 5,217
C4HT079080-P	7.9	40	80	8.0	₹ 5,217
C4HT080080-P	8.0	40	80	8.0	₹ 5,217
C4HT081080-P	8.1	40	80	10.0	₹ 6,945
C4HT082080-P	8.2	40	80	10.0	₹ 6,945
C4HT083080-P	8.3	40	80	10.0	₹ 6,945
C4HT084080-P	8.4	40	80	10.0	₹ 6,945
C4HT085080-P	8.5	40	80	10.0	₹ 6,945
C4HT086080-P	8.6	40	80	10.0	₹ 6,945
C4HT087080-P	8.7	40	80	10.0	₹ 6,945
C4HT088080-P	8.8	40	80	10.0	₹ 6,945
C4HT089080-P	8.9	40	80	10.0	₹ 6,945
C4HT090080-P	9.0	40	80	10.0	₹ 6,945
C4HT091080-P	9.1	40	80	10.0	₹ 6,945
C4HT092080-P	9.2	40	80	10.0	₹ 6,945
C4HT093080-P	9.3	40	80	10.0	₹ 6,945
C4HT094080-P	9.4	40	80	10.0	₹ 6,945
C4HT095080-P	9.5	40	80	10.0	₹ 6,945
C4HT096080-P	9.6	40	80	10.0	₹ 6,945
C4HT097080-P	9.7	40	80	10.0	₹ 6,945
C4HT098080-P	9.8	40	80	10.0	₹ 6,945
C4HT099080-P	9.9	40	80	10.0	₹ 6,945
C4HT100080-P	10.0	40	80	10.0	₹ 6,945
C4HT081100-P	8.1	60	100	10.0	₹ 8,619
C4HT082100-P	8.2	60	100	10.0	₹ 8,619
C4HT083100-P	8.3	60	100	10.0	₹ 8,619
C4HT084100-P	8.4	60	100	10.0	₹ 8,619
C4HT085100-P	8.5	60	100	10.0	₹ 8,619
C4HT086100-P	8.6	60	100	10.0	₹ 8,619
C4HT087100-P	8.7	60	100	10.0	₹ 8,619
C4HT088100-P	8.8	60	100	10.0	₹ 8,619
C4HT089100-P	8.9	60	100	10.0	₹ 8,619
C4HT090100-P	9.0	60	100	10.0	₹ 8,619
C4HT091100-P	9.1	60	100	10.0	₹ 8,619
C4HT092100-P	9.2	60	100	10.0	₹ 8,619
C4HT093100-P	9.3	60	100	10.0	₹ 8,619



[Back to Selection](#)

Series	C4HT	Carbide Super High Performance TIGER DRILLS			
Ordering Code	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-54
C4HT094100-P	9.4	60	100	10.0	₹ 8,619
C4HT095100-P	9.5	60	100	10.0	₹ 8,619
C4HT096100-P	9.6	60	100	10.0	₹ 8,619
C4HT097100-P	9.7	60	100	10.0	₹ 8,619
C4HT098100-P	9.8	60	100	10.0	₹ 8,619
C4HT099100-P	9.9	60	100	10.0	₹ 8,619
C4HT100100-P	10.0	60	100	10.0	₹ 8,619
C4HT101100-P	10.1	60	100	12.0	₹ 11,673
C4HT102100-P	10.2	60	100	12.0	₹ 11,673
C4HT103100-P	10.3	60	100	12.0	₹ 11,673
C4HT104100-P	10.4	60	100	12.0	₹ 11,673
C4HT105100-P	10.5	60	100	12.0	₹ 11,673
C4HT106100-P	10.6	60	100	12.0	₹ 11,673
C4HT107100-P	10.7	60	100	12.0	₹ 11,673
C4HT108100-P	10.8	60	100	12.0	₹ 11,673
C4HT109100-P	10.9	60	100	12.0	₹ 11,673
C4HT110100-P	11.0	60	100	12.0	₹ 11,673
C4HT111100-P	11.1	60	100	12.0	₹ 11,673
C4HT112100-P	11.2	60	100	12.0	₹ 11,673
C4HT113100-P	11.3	60	100	12.0	₹ 11,673
C4HT114100-P	11.4	60	100	12.0	₹ 11,673
C4HT115100-P	11.5	60	100	12.0	₹ 11,673
C4HT116100-P	11.6	60	100	12.0	₹ 11,673
C4HT117100-P	11.7	60	100	12.0	₹ 11,673
C4HT118100-P	11.8	60	100	12.0	₹ 11,673
C4HT119100-P	11.9	60	100	12.0	₹ 11,673
C4HT120100-P	12.0	60	100	12.0	₹ 11,673
C4HT125105-P	12.5	55	105	14.0	₹ 16,170
C4HT130105-P	13.0	55	105	14.0	₹ 16,170
C4HT135105-P	13.5	55	105	14.0	₹ 16,170
C4HT140105-P	14.0	55	105	14.0	₹ 16,170
C4HT145105-P	14.5	58	105	16.0	₹ 19,743
C4HT150105-P	15.0	58	105	16.0	₹ 19,743
C4HT155105-P	15.5	58	105	16.0	₹ 19,743
C4HT160105-P	16.0	58	105	16.0	₹ 19,743
C4HT165105-P	16.5	58	105	18.0	₹ 26,466
C4HT170105-P	17.0	58	105	18.0	₹ 26,466
C4HT175105-P	17.5	58	105	18.0	₹ 26,466
C4HT180105-P	18.0	58	105	18.0	₹ 26,466
C4HT185105-P	18.5	58	105	20.0	₹ 31,185
C4HT190105-P	19.0	58	105	20.0	₹ 31,185
C4HT195105-P	19.5	58	105	20.0	₹ 31,185
C4HT200105-P	20.0	58	105	20.0	₹ 31,185



[Back to Selection](#)

Series	C1N1	Carbide NC-Spotting drills 90°			
Ordering Code	Flute Diameter (D)	Flute Length (L2)	Overall Length (L1)	Shank Diameter (D)	PL-54
C1N10600-U	6	13	50	6	₹ 1,569
C1N10800-U	8	23	60	8	₹ 2,226
C1N11000-U	10	24	70	10	₹ 3,165
C1N11200-U	12	24	70	12	₹ 4,080
C1N11600-U	16	29	75	16	₹ 7,527
C1N12000-U	20	35	100	20	₹ 14,166

Series	C1N2	Carbide NC-Spotting drills 120°			
Ordering Code	Flute Diameter (D)	Flute Length (L2)	Overall Length (L1)	Shank Diameter (D)	PL-54
C1N20600-U	6	13	50	6	₹ 1,569
C1N20800-U	8	23	60	8	₹ 2,226
C1N21000-U	10	24	70	10	₹ 3,165
C1N21200-U	12	24	70	12	₹ 4,080
C1N21600-U	16	29	75	16	₹ 7,527
C1N22000-U	20	35	100	20	₹ 14,166




[Back to Selection](#)

Series	C1CB	Carbide Centre Drills BS 328				
Ordering Code	BS NO.	Pilot Dia. (D1)	Pilot Length (max.) (L1)	OAL (L2)	Body Dia. (D2)	PL-54
C1CB-BS1-U	BS1	3/64"	5/64"	1-1/2"	1/8"	₹ 1,854
C1CB-BS2-U	BS2	1/16"	3/32"	1-3/4"	3/16"	₹ 2,118
CR1XCA00036	BS3	3/32"	5/32"	2"	1/4"	₹ 2,781
CR1XCA00069	BS4	1/8"	3/16"	2-1/4"	5/16"	₹ 3,282
C1CB-BS5-U	BS5	3/16"	9/32"	2-1/2"	7/16"	₹ 5,541
C1CB-BS6-U	BS6	1/4"	3/8"	3"	5/8"	₹ 9,408
C1CB-BS7-U	BS7	5/16"	15/32"	3-1/2"	3/4"	₹ 15,636

Series	C1CD	Carbide Centre Drills TYP-A DIN 333				
Item Code	DIN	Pilot Dia. (D1)	Pilot Length (max.) (L1)	OAL (L2)	Body Dia. (D2)	PL-54
CR1XCA001L0	DIN 333	1.60	2.0	35	4.0	₹ 1,854
CR1XCA00028	DIN 333	2.00	2.5	40	5.0	₹ 2,118
CR1XCA00044	DIN 333	2.50	3.1	45	6.3	₹ 2,781
CR1XCA00051	DIN 333	3.15	3.9	50	8.0	₹ 3,282
CR1XCA001J4	DIN 333	4.00	5.0	56	10.0	₹ 4,089
CR1XCA001M8	DIN 333	5.00	6.8	63	12.5	₹ 6,594
CR1XCA001N5	DIN 333	6.30	8.5	72	16.0	₹ 9,408
C1CD0800-U	DIN 333	8.00	10.8	80	20.0	₹ 15,636




Series		C1RS	Carbide Straight Flute Reamers							Back to Selection
Ordering Code UNCOATED	Ordering Code TiALN Coated	Flute Diameter (D1)	Flute Length (L1)	Reach Length (L3)	Overall Length (L2)	Shank Diameter (D2)	# of Flutes	PL-54 (UNCOATED)	PL-54 (TiALN)	
C1RS0300061-U	C1RS0300061-F	3	15	31	61	4	4	₹ 1,581	₹ 1,827	
C1RS0350070-U	C1RS0350070-F	3.5	18	36	70	4	4	₹ 1,737	₹ 2,052	
C1RS0400075-U	C1RS0400075-F	4	19	42	75	4	4	₹ 1,914	₹ 2,280	
C1RS0450080-U	C1RS0450080-F	4.5	21	46	80	5	4	₹ 2,112	₹ 2,454	
C1RS0500086-U	C1RS0500086-F	5	23	51	86	5	4	₹ 2,325	₹ 2,670	
C1RS0550093-U	C1RS0550093-F	5.5	26	56	93	6	4	₹ 2,823	₹ 3,270	
C1RS0600093-U	C1RS0600093-F	6	26	56	93	6	4	₹ 2,823	₹ 3,270	
C1RS0650101-U	C1RS0650101-F	6.5	28	62	101	7	6	₹ 3,543	₹ 4,095	
C1RS0700109-U	C1RS0700109-F	7	31	68	109	7	6	₹ 3,543	₹ 4,095	
C1RS0750109-U	C1RS0750109-F	7.5	31	68	109	8	6	₹ 3,993	₹ 4,530	
C1RS0800117-U	C1RS0800117-F	8	33	74	117	8	6	₹ 4,326	₹ 4,896	
C1RS0850117-U	C1RS0850117-F	8.5	33	74	117	9	6	₹ 5,370	₹ 6,042	
C1RS0900125-U	C1RS0900125-F	9	36	80	125	9	6	₹ 5,859	₹ 6,627	
C1RS0950125-U	C1RS0950125-F	9.5	36	80	125	10	6	₹ 6,402	₹ 7,230	
C1RS1000133-U	C1RS1000133-F	10	38	86	133	10	6	₹ 6,801	₹ 7,842	
C1RS1050133-U	C1RS1050133-F	10.5	38	86	133	12	6	₹ 8,517	₹ 9,789	
C1RS1100142-U	C1RS1100142-F	11	41	95	142	12	6	₹ 9,474	₹ 10,659	
C1RS1200151-U	C1RS1200151-F	12	44	104	151	12	6	₹ 9,474	₹ 10,659	
C1RS1300151-U	C1RS1300151-F	13	44	104	151	14	6	₹ 12,951	₹ 14,055	
C1RS1400155-U	C1RS1400155-F	14	47	106	155	14	6	₹ 12,951	₹ 14,055	
C1RS1500160-U	C1RS1500160-F	15	50	110	160	16	6	₹ 15,639	₹ 16,464	
C1RS1600160-U	C1RS1600160-F	16	52	110	160	16	6	₹ 15,639	₹ 16,464	






Series	C1RL	Carbide Left Hand Spiral, RHC Reamers							
Ordering Code UNCOATED	Ordering Code TiALN Coated	Flute Diameter (D1)	Flute Length (L1)	Reach Length (L3)	Overall Length (L2)	Shank Diameter (D2)	# of Flutes	PL-54 (UNCOATED)	PL-54 (TiALN)
C1RL0300061-U	C1RL0300061-F	3	15	31	61	4	4	₹ 1,722	₹ 1,995
C1RL0350070-U	C1RL0350070-F	3.5	18	36	70	4	4	₹ 1,896	₹ 2,238
C1RL0400075-U	C1RL0400075-F	4	19	42	75	4	4	₹ 2,088	₹ 2,484
C1RL0450080-U	C1RL0450080-F	4.5	21	46	80	5	4	₹ 2,304	₹ 2,676
C1RL0500086-U	C1RL0500086-F	5	23	51	86	5	4	₹ 2,538	₹ 2,910
C1RL0550093-U	C1RL0550093-F	5.5	26	56	93	6	4	₹ 3,078	₹ 3,567
C1RL0600093-U	C1RL0600093-F	6	26	56	93	6	4	₹ 3,078	₹ 3,567
C1RL0650101-U	C1RL0650101-F	6.5	28	62	101	7	6	₹ 3,864	₹ 4,467
C1RL0700109-U	C1RL0700109-F	7	31	68	109	7	6	₹ 3,864	₹ 4,467
C1RL0750109-U	C1RL0750109-F	7.5	31	68	109	8	6	₹ 4,356	₹ 4,941
C1RL0800117-U	C1RL0800117-F	8	33	74	117	8	6	₹ 4,719	₹ 5,340
C1RL0850117-U	C1RL0850117-F	8.5	33	74	117	9	6	₹ 5,853	₹ 6,591
C1RL0900125-U	C1RL0900125-F	9	36	80	125	9	6	₹ 6,393	₹ 7,227
C1RL0950125-U	C1RL0950125-F	9.5	36	80	125	10	6	₹ 6,984	₹ 7,890
C1RL1000133-U	C1RL1000133-F	10	38	86	133	10	6	₹ 7,422	₹ 8,553
C1RL1050133-U	C1RL1050133-F	10.5	38	86	133	12	6	₹ 9,291	₹ 10,680
C1RL1100142-U	C1RL1100142-F	11	41	95	142	12	6	₹ 10,332	₹ 11,625
C1RL1200151-U	C1RL1200151-F	12	44	104	151	12	6	₹ 10,332	₹ 11,625
C1RL1300151-U	C1RL1300151-F	13	44	104	151	14	6	₹ 14,130	₹ 15,330
C1RL1400155-U	C1RL1400155-F	14	47	106	155	14	6	₹ 14,130	₹ 15,330
C1RL1500160-U	C1RL1500160-F	15	50	110	160	16	6	₹ 17,058	₹ 17,961
C1RL1600160-U	C1RL1600160-F	16	52	110	160	16	6	₹ 17,058	₹ 17,961

[Back to Selection](#)






Series		C1RR		Carbide Right Hand Spiral, RHC Reamers						Back to Selection
Ordering Code UNCOATED	Ordering Code TiALN Coated	Flute Diameter (D1)	Flute Length (L1)	Reach Length (L3)	Overall Length (L2)	Shank Diameter (D2)	# of Flutes	PL-54 (UNCOATED)	PL-54 (TiALN)	
C1RR0300061-U	C1RR0300061-F	3	15	31	61	4	4	₹ 1,650	₹ 1,911	
C1RR0350070-U	C1RR0350070-F	3.5	18	36	70	4	4	₹ 1,815	₹ 2,148	
C1RR0400075-U	C1RR0400075-F	4	19	42	75	4	4	₹ 2,001	₹ 2,379	
C1RR0450080-U	C1RR0450080-F	4.5	21	46	80	5	4	₹ 2,211	₹ 2,562	
C1RR0500086-U	C1RR0500086-F	5	23	51	86	5	4	₹ 2,430	₹ 2,790	
C1RR0550093-U	C1RR0550093-F	5.5	26	56	93	6	4	₹ 2,952	₹ 3,420	
C1RR0600093-U	C1RR0600093-F	6	26	56	93	6	4	₹ 2,952	₹ 3,420	
C1RR0650101-U	C1RR0650101-F	6.5	28	62	101	7	6	₹ 3,699	₹ 4,281	
C1RR0700109-U	C1RR0700109-F	7	31	68	109	7	6	₹ 3,699	₹ 4,281	
C1RR0750109-U	C1RR0750109-F	7.5	31	68	109	8	6	₹ 4,176	₹ 4,737	
C1RR0800117-U	C1RR0800117-F	8	33	74	117	8	6	₹ 4,524	₹ 5,121	
C1RR0850117-U	C1RR0850117-F	8.5	33	74	117	9	6	₹ 5,613	₹ 6,318	
C1RR0900125-U	C1RR0900125-F	9	36	80	125	9	6	₹ 6,129	₹ 6,924	
C1RR0950125-U	C1RR0950125-F	9.5	36	80	125	10	6	₹ 6,696	₹ 7,557	
C1RR1000133-U	C1RR1000133-F	10	38	86	133	10	6	₹ 7,113	₹ 8,199	
C1RR1050133-U	C1RR1050133-F	10.5	38	86	133	12	6	₹ 8,904	₹ 10,236	
C1RR1100142-U	C1RR1100142-F	11	41	95	142	12	6	₹ 9,903	₹ 11,142	
C1RR1200151-U	C1RR1200151-F	12	44	104	151	12	6	₹ 9,903	₹ 11,142	
C1RR1300151-U	C1RR1300151-F	13	44	104	151	14	6	₹ 13,539	₹ 14,694	
C1RR1400155-U	C1RR1400155-F	14	47	106	155	14	6	₹ 13,539	₹ 14,694	
C1RR1500160-U	C1RR1500160-F	15	50	110	160	16	6	₹ 16,350	₹ 17,214	
C1RR1600160-U	C1RR1600160-F	16	52	110	160	16	6	₹ 16,350	₹ 17,214	





Industrial Tools & Solutions Provider

Your Trusted Partner for Industrial Productivity & Performance



Presented by
Sachin Kothawade

+91 77419 75806

www.gskcut.com | www.gskcorporation.com

7 SHIVAM, RAMESHWAR NAGAR, NEAR SHUBHAM PARK, OPP SBI ATM,
KAMATWADE SHIVAR, MAHARASHTRA 422010
Email- gskcorporation.in@gmail.com



Who We Are

GSK Corporation is a leading provider of Industrial Tools, Abrasive Solutions, Cutting Tools, Packaging Machinery, and MRO Supplies, delivering high-quality products that empower industries to work smarter and faster.



We aim to become the most trusted and preferred partner for businesses by ensuring reliable service, genuine products, rapid delivery, and expert support. From small workshops to large industries, we provide solutions that improve productivity and enhance operational safety.

A Trusted Industrial Tools Partner

With years of experience and a diverse product portfolio, GSK Corporation stands as a one-stop solution for all industrial consumables and equipment.

- ✓ Premium quality products
- ✓ Best pricing & bulk supply
- ✓ Fast & reliable delivery
- ✓ Expert support after sales



PRODUCT CATEGORIES




HAND TOOLS



FASTENERS




BEARINGS



ABRASIVE DISC



MACHINE ACCESSORIES



DIGITAL VERNIER'S




PNEUMATIC TOOLS



CUTTING TOOLS



MEASURING TOOLS



VALVES TOOLS



SAFETY TOOLS



POWER TOOLS



DEBURRING TOOL



WELDING ACCESSORIES



HELICOILS



HAND GLOVES

And we have many more industrial tools and solutions available to meet every industry need — with continuous product expansion to serve you better.”



Why Choose Us



At GSK Corporation, we deliver high-quality industrial tools and consumables designed for superior performance and durability. With a strong distribution network, competitive pricing, and trusted brand partners, we ensure faster delivery and reliable supply for all your business needs.



"We focus on precision, product reliability, and timely delivery – ensuring your operations never stop."

Simple, Effective, and Affordable

We offer a wide range of industrial tools that provide exceptional value without compromising on quality. Whether you need abrasives, power tools, or safety solutions, our experienced team is always ready to guide you with tailored product recommendations and after-sales support that helps you work smarter and grow faster



Results-Driven Product Quality



Customized Industrial Supply Solutions



Experienced & Knowledgeable Team



Full-Service Support for Business Growth





Let's Work Together

At GSK Corporation, we believe in building long-term partnerships with businesses by delivering reliable industrial tools and exceptional service. Whether you're a manufacturer, distributor, or workshop, our dedicated team ensures that you get the right products at the right time – helping you increase productivity and reduce downtime.

Let's collaborate to drive better performance, fast delivery, and smart solutions for your operations.



**Ready to Take
Your Business
Online?**



+91 77419 75806

www.gskcut.com | www.gskcorporation.com

7 SHIVAM, RAMESHWAR NAGAR, NEAR SHUBHAM PARK, OPP SBI ATM,
KAMATWADE SHIVAR, MAHARASHTRA 422010

Email- gskcorporation.in@gmail.com



Presented by
Sachin Kothawade